INDEX TO VOLUME 46

The asterisk (*) preceding the page number indicates an original article in the Archives. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Editorials, Obituaries and Society Transactions are indexed under these headings in their alphabetical order under the letters B, E, O and S, respectively.

Abarbanel, A. R.: Treatment of senile pruritus with androgens and estrogens, *112
Abdomen, syndrome of cutis laxa with defects of superficial muscles and edema lymphangiectaticum, 562
Abnormalities and Deformities: See under names of diseases, organs and regions, as Atrophy; Nails, abnormalities; Pigmentation; Scalp; Skin, abnormalities; etc.
Abramowitz, E. W.: Contact dermatitis (telephone receiver?), 597
  Dermatitis venenata (etiology?), 757
  Folliculitis decalvans associated with lichen spinulosus, 899
  Lichen planus et acuminatus atrophicans, 900
Abscess: See under names of organs and regions
Acanthosis nigricans, 459
  nigricans associated with carcinoma of lung, *54
Acarus Scabiei: See Scabies
Acid, Boric: See Boron Compounds
  Nicotinic: See Nicotinic Acid
  Tannic: See Burns; Intertrigo
Acne; acne-like eruptions produced by industrial fats and oils; review of literature and etiologic considerations, 746
  conglobata, 919
  failure with cryotherapy in treatment of acne scars, *734
  melanoderma; acneform eruption (tar?), 589
  oil acne, 583
  rosacea and perlèche, 181
  rosacea, Schamberg's disease or acrodermatitis chronica atrophicans, 181
  rosacea with keratitis, 747
  vulgaris and pyoderma faciale, 314
  vulgaris; unilateral roentgen irradiation in treatment, *207
Acrodermatitis atrophicans chronica, familial occurrence; report of 2 cases, *480
  chronica atrophicans, 307
  chronica atrophicans, Schamberg's disease or rosacea, 181
  chronica atrophicans with juxta-articular nodes and pseudoscleroderma, 768
Acrodynia, pathogenesis and treatment with nicotinic acid, 563
Acrosclerosis: See Scleroderma
Actinodermatitis: See under Light
Actinomycosis and syphilis, 312
  tuberculosis, gumma or infected pilonidal cyst, 332
Adenoma, basophilic adenoma of pituitary (Cushing's basophilism); poikiloderma-like changes of skin, 166
  sebaceum (Pringle), 176
Adiposogenital Syndrome: See Laurence-Moon-Biedl Syndrome
Age, Old: See Old Age
Agglutinins and Agglutination: See also Antigens and Antibodies; etc.
  application of Hirst's phenomenon to titration of vaccinia virus and vaccinia immune serum, 744
Agrimony: See under Plants
Albuminuria and bismuth stomatitis, 447
Alcohol, relative effects of toxic doses of alcohol on fetal, newborn and adult rats, 888
Alderson, H. E.: Separation of nails, *443
Alexander, L. J.: Cisternal puncture; favorable report based on over 6,000 punctures, *725
  Intensive arsenotherapy of early syphilis; follow-up report on 10 day syringe method of treatment, *128
Allergy: See Anaphylaxis and Allergy
Allington, H. V.: Aphthous ulcers, 312
  Mycosis fungoides, 310
  Xanthoma tuberosum multiplex, 159
Alopecia: See also under Hair
  areata; appraisal of endocrine factors in its causation, 146
  totalis in father and daughter; report of cases, *137
Alperstein, B. B.: Edema of genitalia complicating resin contact dermatitis due to underwear, *829
Amaurosis: See Blindness
Amblyopia: See Blindness
American Medical Association, Section on Dermatology and Syphilology, 443
Amersbach, J. C.: Basal cell epithelioma successfully treated with roentgen rays, 750
  Respiration of human keratoses and epitheliomas, *269
Amyloidosis cutis, 898
Anaphylaxis and Allergy; See also Hay Fever; and under names of various diseases, as Eczema; Rhus, poisoning; etc.
  Arthus phenomenon in rat, 287
  calcium, potassium and sodium metabolism and skin; use of potassium chloride in certain allergic dermatoses, *833
  histamine content of blood and tissues of rabbit during anaphylactic shock, 287
  passive transfer in light urticaria; pathomechanism of physical allergy, 557
  tests for mildness of soap, *846
Anderson, N. P.: Congenital defect of scalp, *257
  Granuloma annulare, 946
  Trichophytosis of eyelashes, associated with tinea capitis and tinea circinata, 949
Androgens, specific substances in urine of leukemia patients, 559
  treatment of senile pruritus with androgens and estrogens, *112
Anemia, aplastic, due to arsphenamine; stomatitis of unknown origin, 453
Anesthesia, allergic dermatitis (in dentists) and blepharoconjunctivitis caused by pontocaine, 885
Anetoderma: See Atrophy
Angina, recurring herpetic angina, 889
Angioma, 309
  capillary, purpura or Kaposi's sarcoma, 896
  multiple disseminated, 165
Anhidrosis: See Sweat Glands
Antigens and Antibodies: See also Agglutinins and Agglutination; Immunity; Lipoids; and under specific antigens and reactions, as Chancroid; Lymphogranuloma Venereum; etc.
  studies on antibody-antigen mixtures; effect on normal living excised tissue, 887
Antipyrine, sensitization experiments with antipyrine, 291

Anus: See also Rectum
Pruritus: See Pruritus
stomatitis venenata and dermatitis of anal orifice from chewing poison ivy leaves (Rhus toxicodendron), 147
Aortitis, does syphilitic aortitis occur often in patients with congenital syphilis? 561
Aphthae: See Stomatitis
Apparatus: See Instruments
Ariboflavinosis: See Riboflavin
Armies: See Medicine, military
Aron, E.: Biologic false positive reactions for syphilis associated with hyperproteinemia; preliminary report, *713
Arsenic and Arsenic Compounds: See also Arsphenamines
antisyphilitic treatment; mortality studies, 286
intensive treatment of syphilis with multiple injections of mapharsen; concentration of arsenic in blood, *783
massive dose arsenotherapy of early syphilis by intravenous drip method; electrocardiographic abnormalities associated with massive arsenotherapy, 560
massive dose arsenotherapy of early syphilis by intravenous drip method; pregnancy, and its outcome, associated with or following treatment of early syphilis by massive arsenotherapy, 560
massive dose arsenotherapy of early syphilis by intravenous drip method; toxicology, clinical observation and therapeutic results, 559
pemphigus vegetans with possible arsenical keratoses, 567
precordial oppression; disconcerting reaction encountered in 5 day treatment of syphilis, *283
recalcitrant lesion of finger in presence of long-standing psoriasis and arsenical keratoses, 947
Therapy: See Herpes zoster; Syphilis
toxic dose of mapharsen given in interrupted doses, 451
Arsphenamines, aplastic anemia due to arsphenamine; stomatitis of unknown origin, 453
cerebral lesions following administration of neoarsphenamine; multiple symmetric foci of hemorrhagic necrosis of brain, *512
Therapy: See under Syphilis
Arteries: See Periarteritis; etc.
Arthritis, vulvovaginocervical eruption due to therapy with gold sodium thiosulfate, *250
Arthus Phenomenon: See Anaphylaxis and Allergy
Asthma: See Anaphylaxis and Allergy
Astrachan, G. D.: Fox-Fordyce disease and latent syphilis, 898
Granuloma inguinale or early syphilis, 906
Syphilitic ulceration associated with osteomyelitis, 463
Atlas, D. H.: Biologic false positive reactions for syphilis associated with hyperproteinemia; preliminary report, *713
Atrophoderma: See Atrophy
Atrophy: See also Acrodermatitis atrophicans; and under names of organs and regions, as Nails; Nerves; etc.
macular, 302
macular (Schweninger and Buzzi type), 460
of skin and subcutaneous fat, *414
Avitaminoses: See under Vitamins
Ayres, S., Jr.: Trichophytosis of eyelashes, associated with tinea capitis and tinea circinata, 949

BCG: See under Tuberculosis
Back, ulcer; case for diagnosis, 151
Backus-Jordan, C.: Lupus erythematosus, pemphigus or folliculitis decalvans, 572
Bacteria: See Staphylococci; Streptococci; Viruses; etc.
Leprosy: See Leprosy
Bacteriophage: See under Staphylococci
Baer, R. L.: Epidermolysis bullosa hereditaria; report of 2 cases with extensive family histories, *419
Keratoconus associated with atopic dermatitis; report of 2 cases, *358
Bakelite, contact dermatitis (telephone receiver?), 597
Balanitis: See under Penis
Baldness: See Alopecia
Barbital and Barbital Derivatives, exfoliative dermatitis and death due to phenobarbital, 146
toxic eruptions due to phenobarbital; report of 2 cases, *386
Barker, L. P.: Leather dye dermatitis, 750
Barrows, D. N.: Vulvovaginocervical eruption due to therapy with gold sodium thiosulfate, *250
Basophilism: See under Pituitary Body
Bazin's Disease: See Erythema induratum
Bechet, P. E.: Acrodermatitis chronica atrophicans with juxta-articular nodes and pseudoscleroderma, 768
Keratosis plantaris, 762
Multiple disseminated angiomas, 165
Becker, S. W.: Atypical sarcoid; case for diagnosis, 599
Circumscribed myxedema, 321
Colloid degeneration (collagen degeneration) of skin, *695
Bedbugs, results of investigation of poison of Cimex lectularius, 745
Behrman, H. T.: Acanthosis nigricans associated with carcinoma of lung, *54
Use of vitamin A in keratosis blennorrhagica; successful treatment with massive doses; report of case, *728
Bereston, E. S.: Keratoconus associated with atopic dermatitis; report of 2 cases, *358
Berkovsky, M.: Chronic dermatitis of hands due to shoe polish, 466
Bertholletia Excelsa: See Nuts
Besnier-Boeck's Disease: See Sarcoidosis
Bickers, W.: Congenital syphilis acquired by fetus before appearance of chancre in mother, *135
Biedl-Laurence-Moon Syndrome: See Laurence-Moon-Biedl Syndrome
Bismuth and Bismuth Compounds, bismuth stomatitis and albuminuria, 447
Therapy: See under names of various diseases, i. e., Lupus erythematosus; Syphilis; etc.
transfer of bismuth into fetal circulation after maternal administration of sobismiol, 287
Blastomycosis, 584. See also Coccidioidosis; Moniliasis; etc.
Blennorrhagia: See Gonorrhea; Keratosis blennorrhagica
Blepharoconjunctivitis: See Conjunctivitis
Blindness, sarcoidosis with total blindness, 914
Blood: See also Leukocytes
coagulation; Weltmann's serum coagulation reaction in cases of dermatoses and of syphilis, *87
Diseases: See Anemia; Leukemia; etc.
fats and lipoids; influence of acute infection on plasma lipids and course of eczema, 557
histamine content of blood and tissues of rabbit during anaphylactic shock, 287
intensive treatment of syphilis with multiple injections of mapharsen; concentration of arsenic in blood, *783
phytopharmacologic reactions of blood following treatment with sulfanilamide and derivatives, *635
pressure, low; orthostatic hypotension accompanying tabetic form of dementia paralytica; malaria treatment; report of case, *796

Blood—Continued
proteins; biologic false positive reactions for syphilis associated with hyperproteinemia; preliminary report, *713
studies on pellagra in Chosen; blood findings in pellagra, 745
transfusion; survival of Treponema pallidum in preserved citrated human plasma, 447
Bloom, D.: Bullous eruption following sulfanilamide therapy, 461
Chronic lymphedema of face, 909
Lichen scrofulosorum, 939
Rosacea-like tuberculid (Lewandowsky), 901
Xanthoma juvenile (nevoxanthoendothelioma McDonagh), 911
Blue Nevus: See Pigmentation, cutaneous
Bluefarb, S. M.: Familial occurrence of acrodermatitis atrophicans chronica; report of 2 cases, *480
Lupus vulgaris with pulmonary tuberculosis, 600
Naevus unilateralis tardus, 315
Boeck Sarcoid: See Sarcoidosis
Bones: See also under names of bones
Diseases: See Osteomyelitis; etc.
osteomatosis cutis; report of case, *872
osteosis cutis in methylcholanthrene epidermal carcinogenesis in mice, *276

Book Reviews:
Ambassadors in White: Story of American Tropical Medicine; C. M. Wilson, 618
Dermatologic Therapy in General Practice; M. B. Sulzberger and J. Wolf, 468
Directory of Medical Specialists; compiled by Advisory Board for Medical Specialties, 780
Diseases of Skin; F. C. Knowles, E. F. Corson and H. B. Decker, 336
Mal del pinto, pinta o carate: Su historia, su etiologia, su patogenia; F. Leon y Blanco, 780
Medical Applications of Short Wave Current: A Textbook; W. Bierman, 952
Modern Treatment of Syphilis; J. E. Moore with collaboration of J. E. Kemp, 617
Modern Treatment of Venereal Diseases; E. T. Burke, 781
Occupational Tumors and Allied Diseases; W. C. Hueper, 781
Psychotherapy in Medical Practice; M. Levine, 954
Serology in Syphilis Control: Principles of Sensitivity and Specificity with Appendix for Health Officers and Industrial Physicians; R. L. Kahn, 468
Standard Nomenclature of Disease, *534
Surgery of Ambulatory Patient; L. K. Ferguson, 779
War Gases: Their Identification and Decontamination; M. B. Jacobs, 952

Bordet-Wassermann Reaction: See Syphilis
Boron Compounds, diapers treated with boric acid in therapy of eczema natum, 563
Bowen's Disease: See Cancer, precancer
Brain: See also Cerebellum; Nervous System; etc.
cerebral lesions following administration of neoarsphenamine; multiple symmetric foci of hemorrhagic necrosis of brain, *512
delinquency and electroencephalograph, 885
Syphilis: See Neurosyphilis
Brazil Nuts: See Nuts
Breast, Paget's disease of nipple, 886
Brilliant Green: See Intertrigo
Brunner, M. J.: Biologic false positive reactions for syphilis associated with hyperproteinemia; preliminary report, *713
Bubo, Chancroid: See Chancroid
Climatic: See Lymphogranuloma Venereum
Bubonulus: See Lymphogranuloma Venereum
Bullosis: See Vesication
Bunata, J.: Biologic false positive reactions for syphilis associated with hyperproteinemia; preliminary report, *713
Burkhart, R. J.: Parapsoriasis; its relation to mycosis fungoides and tuberculosis; review of 52 cases, *673
Burns, D. C.: Osteomatosis cutis; report of case, *872
Burns, misuse of tannic acid, 889
Buschke's Disease: See Scleroderma
Butler, J.: Dermatitis exfoliativa, 776
Butterworth, T.: Edema of legs; case for diagnosis, 294
Lupus serpiginosus with elephantiasis; treatment with electrocoagulation and surgical excision; report of case, *242

Calcification, Raynaud's disease with subcutaneous calcium deposition in fingers; hereditary multiple telangiectases, 579
scleroderma with calcinosis, 576
Calcinosis: See Calcification
Calcium and Calcium Compounds, calcium, potassium and sodium metabolism and skin; use of potassium chloride in certain allergic dermatoses, *833
Campbell, P. C.: Ragweed dermatitis among workers in flour and grain industries, *721
Cancer: See also Epithelioma; Nevocarcinoma; Sarcoma; Tumors; and under names of organs and regions, as Lungs; Vulva; etc.
of nitrate workers, 290
osteosis cutis in methylcholanthrene epidermal carcinogenesis in mice, *276
precancer; Bowen's disease; case for diagnosis, 935
respiration of human keratoses and epitheliomas, *269
Cañizares, O.: Frei test; evaluation of chick embryo antigen (lygranum), *264
Cannon, A. B.: Basophilic adenoma of pituitary (Cushing's basophilism); poikiloderma-like changes of skin, 166
Dermatomyositis, 921
Erythema ab igne or ulcers of legs, 928
Erythema multiforme bullosum complicating pregnancy (herpes gestationis?), 765
Hodgkin's disease, 925
Keratosis blennorrhagica, 331
Melanoma of ear; prickle cell epithelioma of scalp, 924
Mycosis fungoides; pulmonary tuberculosis, 330
Papulonecrotic tuberculid; tuberculous adenitis; dactylitis; erythema induratum, 168
Tuberculosis, gumma, actinomycosis or infected pilonidal cyst, 332
Tuberculosis of vulva and vagina; case for diagnosis, 894
Capillaries; capillaritis; case for diagnosis, 932
purpura, Kaposi's sarcoma or capillary angioma, 896
Carate: See Pinta
Carcinoma: See Cancer
Cardon, L.: Biologic false positive reactions for syphilis associated with hyperproteinemia; preliminary report, *713
Caro, M. R.: Urticaria pigmentosa, 602
Carter, B. B.: Quantitative studies on atypical syphilitic serums, *843
Cells: See Tissue
Cerebellum, progressive syndrome consisting of symmetric cutaneous and conjunctival telangiectases and cerebellar manifestations, 890
Cerebrospinal Fever: See Meningitis
Cerebrospinal Fluid: See Cisterna Magna, puncture
Cervix: See under Uterus
Chafing: See Intertrigo
Chancre, chancriform pyoderma, 306
congenital syphilis acquired by fetus before appearance of chancre in mother, *135
Lymphogranulomatous: See Lymphogranuloma Venereum
of gum, 741
Soft: See Chancroid

Chancroid, new preparation of antigen for intracutaneous diagnosis of chancroidal infection, 447
Charache, H.: Spiegler-Fendt sarcoid, *489
Chargin, L.: Congenital nail defect; case for diagnosis, 942
Cheilitis: See under Lips
Chemotherapy: See Gonorrhea; Lymphogranuloma Venereum; Neurosyphilis; Syphilis; etc.
Chiaramonte, C. T.: Erythema nodosum, 171
Lymphoblastoma (lymphosarcoma? leukemia?), 173
Pemphigus foliaceus, 175
Pemphigus or lupus erythematosus; case for diagnosis, 173
Pemphigus vulgaris, 174
Subacute disseminated lupus erythematosus, 175
Children: See also Infants
dermatomyositis in childhood, 559
Chin: See Jaws
China and Chinese, riboflavin deficiency among Chinese; cheilosis and seborrheic dermatitis, 561
Chloronaphthalene, acne-like eruptions caused by industrial fats and oils; so-called perna disease and its pathogenesis, 292
Cholecystectomy: See under Gallbladder
Chondrodermatitis nodularis chronica auriculae, 891
Chromhidrosis: See Sweat Glands
Chromomycosis: See Blastomycosis; Mycosis
Cicatrix, failure with cryotherapy in treatment of acne scars, *734
pemphigus conjunctivae with scarring of skin; report of 3 cases, *875
Cimex: See Bedbugs
Cipollaro, A. C.: Chronic lymphangitis of face, 748
Dermatitis exfoliativa with keratosis of palms and soles, 907
Rosacea-like tuberculid (Lewandowsky), 902
Cisterna Magna, puncture; favorable report based on over 6,000 punctures, *725
Citochol (Sachs-Witebsky) Reaction: See under Syphilis
Civil Service Commission, policy of United States Civil Service Commission toward applicants with syphilis, 741
Clothing, dermatitis from underwear shorts processed by resin finishes; report of 20 cases observed at Bellevue Hospital, *254
edema of genitalia complicating resin contact dermatitis due to underwear, *829
Coccidioides, utilization of carbon and nitrogen compounds by Coccidioides immitis (Rixford and Gilchrist, 1896), 887
Coccidioidomycosis: See Coccidioidosis
Coccidioidosis, coccidioidomycosis, 146
Cod Liver Oil, contact dermatitis due to; report of case, *140
Codeine, contact dermatitis due to, *82
Cohen, D.: Dermatitis exfoliativa chronica or pityriasis rubra Hebra, 322
Erythema induratum; case for diagnosis, 319
Fibromata dura with diffusely involved adherent area, 608
Primary lesions of pemphigus vulgaris, *201
Collagen, colloid degeneration (collagen degeneration) of skin, *695
Combes, F. C.: Frei test; evaluation of chick embryo antigen (lygranum), *264
Parapsoriasis maculata, 167
Use of vitamin A in keratosis blennorrhagica; successful treatment with massive doses; report of case, *728
Communicable Diseases: See Immunity; Meningitis; Syphilis; etc.
Complement Fixation: See under Syphilis
Congress: See Societies
Conjunctiva, ocular pemphigus and its relation to pemphigus of skin and mucous membranes, 885
pemphigus conjunctivae with scarring of skin; report of 3 cases, *875
progressive syndrome consisting of symmetric cutaneous and conjunctival telangiectases and cerebellar manifestations, 890
Conjunctivitis, allergic dermatitis (in dentists) and blepharoconjunctivitis caused by pontocaine, 885
cutaneous and conjunctival manifestations of sulfathiazole intoxications, 146
Cook, E. S.: Respiration of human keratoses and epitheliomas, *269
Coombs, R. A.: Symmetric syphilitic granulomas of elbows, *375
Cooper, Z. K.: Histopathology of skin in pellagra, *100
Cope, E. P.: Contact dermatitis due to cod liver oil; report of case, *140
Cornbleet, T.: Calcium, potassium and sodium metabolism and skin; use of potassium chloride in certain allergic dermatoses, *833
Parapsoriasis; case for diagnosis, 598
Properties of human skin revealed by fluorescence microscopy; normal skin; vitamin A content of skin, *59
Cornea, conical; keratoconus associated with atopic dermatitis; report of 2 cases, *358
Inflammation: See Keratitis
ulcer associated with lymphogranuloma venereum, 144
Cornell, V. A.: Amyloidosis cutis, 898
Corson, E. F.: Kaposi's sarcoma, 293
Cosmetics, nail polish dermatitis in man, *141
Costa, O. G.: Epidermodysplasia verruciformis (Lewandowsky and Lutz); report of 2 cases, *463
Costello, M. J.: Dermatitis from underwear shorts processed by resin finishes; report of 20 cases observed at Bellevue Hospital, *254
Granuloma inguinale, 307
Lichenoid papular syphilid in drug addict, 304
Multiple gummas successfully treated by oral administration of sodium bismuth triglycollamate, 754
Mycosis fungoides, 761
Pellagra in unusual locations, 754
Perivasculitis nodosa necrotisans; case for diagnosis, 755
Pyoderma gangraenosum in patient with syphilis, 753
Courville, C. B.: Cerebral lesions following administration of neoarsphenamine; multiple symmetric foci of hemorrhagic necrosis of brain, *512
Cramer, W.: Osteosis cutis in methylcholanthrene epidermal carcinogenesis in mice, *276
Cresols, occupational dermatitis due to parachlormetacresol, 147
Cryotherapy: See Acne
Curtis, G. H.: Balanitis xerotica obliterans, 582
Blastomycosis, 584
Cheilitis of undetermined cause, 586
Erythema multiforme, 581
Erythema multiforme cured by cholecystectomy, 580
Meralgia paraesthetica, 584
Monocytic leukemia with oral lesions, 586
Oil acne, 583
Pyoderma gangraenosum, 585
Raynaud's disease with subcutaneous calcium deposition in fingers; hereditary multiple telangiectases, 579
Cushing's Disease: See under Pituitary Body

Cutis Laxa: See Skin, abnormalities
Cysts: See under names of organs and regions, as Eyelids; Pilonidal Sinus; Synovial Membrane; etc.

Dactylitis: See Fingers and Toes
Dandruff: See Seborrhea
Darier's Disease: See Keratosis follicularis
Davidson, D. M.: Adenoma sebaceum (Pringle), 176
von Recklinghausen's disease, 176
Deafness, early untreated syphilis with nerve deafness, 936
Death, analysis of deaths following therapeutic malaria, 447
Decker, D. A.: Case for diagnosis, 565
Deficiency Diseases: See Pellagra; Vitamins; etc.
Degeneration, colloid degeneration (collagen degeneration) of skin, *695
Delinquency and electroencephalograph, 885
Dementia Paralytica, orthostatic hypotension accompanying tabetic form of dementia paralytica; malaria treatment; report of case, *796
Dementia Praecox, heredoconstitutional mechanisms of predisposition and resistance to schizophrenia, 885
Dentifrices, effect of citrus juices and various mouth prophylaxes on oral flora and saliva, 147
Dentistry: See also Teeth
allergic dermatitis (in dentists) and blepharoconjunctivitis caused by pontocaine, 885
Depigmentation: See Pigmentation
Depilation: See under Hair
Dermatitis: See also Acrodermatitis; Eczema; Neurodermatitis; etc.
Acneform: See Acne
Actinica: See under Light
Arsphenamine: See Arsphenamines
Atopic: See Eczema; Neurodermatitis
Atrophicans: See Atrophy
Blastomycetic: See Blastomycosis
bullosa striata pratensis; agrimony dermatitis, 289
chronic discoid and lichenoid exudative dermatitis; case for diagnosis, 301
chronic, of hands due to shoe polish, 466
Contact: See Dermatitis venenata
Eczematous: See Eczema
exfoliativa, 776
exfoliativa chronica or pityriasis rubra Hebra, 322
exfoliativa with keratosis of palms and soles, 907
exfoliative, and death due to phenobarbital, 146
factitia, 182
from topical application of 2-methyl-1: 4-naphthoquinone (synthetic vitamin K analogue), 741
herpetiformis, bullous, *218
herpetiformis, lichen planus with pigmentation or erythema multiforme bullosum, 590
herpetiformis or pemphigus erythematodes, 465
Medicamentosa, 904. See also under Drugs; and under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Barbital and Barbital Derivatives; Codeine; Cresols; Gold and Gold Compounds; etc.
medicamentosa or granuloma annulare, 614
Multiformis: See Dermatitis herpetiformis
Occupational: See Industrial Diseases
Rhus: See Rhus, poisoning
Seborrheic: See Seborrhea
Solar: See under Light
striata pratensis bullosa (grass or meadow dermatitis), *541
vegetans; pyodermite vegetante (Hallopeau), 288
Dermatitis—Continued
Venenata: See also Codeine; Dyes; Leather; Plants; Rhus, poisoning; etc.
venenata; contact dermatitis; case for diagnosis, 179
venenata; contact dermatitis due to cod liver oil; report of case, *140
venenata; contact dermatitis (telephone receiver?), 597
venenata, due to "antiseptic oils," 446
venenata; edema of genitalia complicating resin contact dermatitis due to underwear, *829
venenata (etiology?), 757
venenata, from seed and oil of Bertholletia excelsa (brazil nut), *831
venenata, from soap adherent to platinum ring, *285
venenata, from underwear shorts processed by resin finishes; report of 20 cases observed at Bellevue Hospital, *254
venenata; leather dye dermatitis, 750
venenata; nail polish dermatitis in man, *141
venenata; ragweed dermatitis among workers in flour and grain industries, *721
venenata; weed dermatitis, 778
Dermatologic societies, directory of, 183, 782
Dermatology, dermatologists for Army and Navy, *619
influence of time, place and contemporary history on dermatologic practice, 288
vitamin therapy in dermatology and syphilology, *628
Dermatolysis: See Skin, abnormalities
Dermatomycosis: See Mycosis, cutaneous
Dermatomyositis, 921
in childhood, 559
Dermatophytosis: See Mycosis, cutaneous
Dermatoses: See Dermatitis; Eczema; Skin, diseases; etc.
Dextrins, dermatitis due to dextrins used as adhesive on tax stamps, 146
Diabetes Mellitus, localized lipoid atrophy in, 144
necrobiosis lipoidica diabeticorum, 570, 778
Diapers: See under Eczema
Diathermy: See under Hair
Dilantin Sodium: See Sodium diphenyl hydantoinate
Director, W.: Familial occurrence of acrodermatitis atrophicans chronica; report of 2 cases, *480
Directory of dermatologic societies, 183, 782
Disease, Standard Nomenclature of Disease, *534
Dorne, M.: Pigmented hairy nevus, bathing trunk type, with multiple satellites, 604
Downing, J. G.: Molluscum contagiosum cured with sufapyridine, *139
Dressings, proper use of rubber sponge dressings, *739
Drugs, Addiction: See under Heroin
Eruptions: See also under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Barbital and Barbital Derivatives; Gold and Gold Compounds; etc.
eruptions; case for diagnosis, 295
eruptions; lichen planus and fixed drug eruption? 759
Ducrey Vaccine: See under Chancroid
Duhring's Disease: See Dermatitis herpetiformis
Durand-Nicolas-Favre's Disease: See Lymphogranuloma Venereum
Dyes, chronic dermatitis of hands due to shoe polish, 466
leather dye dermatitis, 750
Dyshidrosis: See under Sweat Glands
Dyskeratosis: See Keratosis
Dystrophy, Adiposogenital: See Laurence-Moon-Biedl Syndrome

Ear: See also Deafness
melanoma of; prickle cell epithelioma of scalp, 924
Ebert, M. H.: Case for diagnosis, 606
Lupus erythematosus profundus; case for diagnosis, 317
Pachyonychia congenita, 316
Ecthyma; staphyloderma, 748
Eczema, calcium, potassium and sodium metabolism and skin; use of potassium chloride in certain allergic dermatoses, *833
contact dermatitis due to codeine, *82
diapers treated with boric acid in therapy of eczema natum in babies, 563
influence of acute infection on plasma lipids and course of, 557
Seborrheic: See Seborrhea
Edema: See also Elephantiasis; and under names of organs and regions, as Genitals; etc.
hereditary; hereditary lymphedema (Nonne-Milroy-Meige); report of family with hereditary lymphedema associated with ptosis of eyelid in several generations, 147
of legs; case for diagnosis, 294
solid, of face, 770
syndrome of cutis laxa with defects of superficial muscles and edema lymphangiectaticum, 562
Edgecombe, A. E.: Trichophyton purpureum (Bang) and Trichophyton gypseum (Bodin); differentiation in culture, *651

EDITORIALS:
Asociación Argentina de Dermatología y Sifilología, 334

Education, Dermatoses Investigations Section, 143, 554
Elbow, symmetric syphilitic granulomas of, *375
Electrocardiography: See under Heart
Electrocoagulation: See under specific headings, as Lupus serpiginosus; etc.
Electroencephalography: See under Brain
Electrolysis: See under Hair
Electropyrexia: See under Neurosyphilis; Syphilis; etc.
Elephantiasis, 915. See also Lymphogranuloma Venereum
chronic lymphedema; case for diagnosis, 465
chronic lymphedema of face, 909
Congenital: See Edema, hereditary
lymphangiectasis, 915
with lupus serpiginosus; treatment with electrocoagulation and surgical excision; report of case, *242
Eliassow, A.: Pathogenesis of synovial lesions of skin, *691
Ellis, F. A.: Cutaneous sensitivity to merthiolate and other mercurial compounds, *425
Emotions, neurotic symptoms and emotional factors in atopic dermatitis, *187
Encephalitis, hemorrhagic; cerebral lesions following administration of neoarsphenamine; multiple symmetric foci of hemorrhagic necrosis of brain, *512
Vegetative: See Acrodynia
Endocrine Glands, alopecia areata; appraisal of endocrine factors in its causation, 146
Endothelioma, lymph space endothelioma of skin, 291
Engman, M. F., Jr.: New approach to problem of disseminated neurodermatitis, *337
Eosinophils: See also Leukocytes
eosinophile granuloma (proliferative reticuloendotheliosis), 148
Epidermodysplasia Verruciformis: See Verruca
Epidermolysis bullosa acquisita, 299, 777
bullosa, avitaminosis, keratosis pilaris, moniliasis or monilid, 912
bullosa hereditaria; report of 2 cases with extensive family histories, *419
Epidermomycosis; Epidermophytosis: See Moniliasis; Mycosis, cutaneous; Ringworm
Epilation: See under Hair
Epithelioma, basal cell epithelioma successfully treated with roentgen rays, 750
melanoma of ear; prickle cell epithelioma of scalp, 924
of skin; manner of growth; histologic study of whole tumor sections, *1
or lupus erythematosus, 603
or syphilis, 152
respiration of human keratoses and epitheliomas, *269
trichoepithelioma with basal cell epithelioma, 564
Epithelium, growth in tegumentary tissues; healing of cutaneous wounds; regeneration, 289
Epstein, E.: Actinomycosis; syphilis, 312
Parapsoriasis en plaques, 160
Pyoderma faciale and acne vulgaris, 314
Synovial cysts, 153, 154
Epstein, N. N.: Scleroderma, 151
Scleroderma and peripheral vascular disease, 308
Syphilis; case for diagnosis, 311
Erdos-Brown, M.: Superfluous hair; removal with monopolar diathermy needle, *496
Eruptions: See under Arsenic and Arsenic Compounds; Arsphenamines; Drugs; Skin, diseases; etc.
Erysipelas; erysipelatous ringworm infection, 933
Erythema ab igne or ulcers of legs, 928
annulare centrifugum, 777
annulare centrifugum of Darier; case for diagnosis, 166
elevatum diutinum; case for diagnosis, 315
figuratum perstans, 945
induratum, 319, 611
induratum; papulonecrotic tuberculid; tuberculous adenitis; dactylitis, 168
multiforme, 581
multiforme bullosum causing stricture of esophagus, 455
multiforme bullosum complicating pregnancy (herpes gestationis?), 765
multiforme bullosum, lichen planus with pigmentation or dermatitis herpetiformis, 590
multiforme cured by cholecystectomy, 580
multiforme; reaction to sodium diphenyl hydantoinate (dilantin sodium); hemorrhagic erythema multiforme terminating fatally, *856
nodosum, 171
nodosum and other complications caused by intradermal or intravenous injections of Frei antigen in lymphogranuloma venereum, 562
of palms associated with pregnancy, *502
Erythredema: See Acrodynia
Erythroderma Exfoliativum: See Dermatitis exfoliativa
Ichthyosiform: See Ichthyosis
Maculopapular: See Parapsoriasis
Erythroplasia: See Penis, diseases
Esophagus, erythema multiforme bullosum causing stricture of, 455
Esthiomene: See Vulva, ulcers
Estrogens, erythema of palms associated with pregnancy, *502
treatment of senile pruritus with androgens and estrogens, *112
Extremities: See also Legs
Blood Supply: See also Raynaud's Disease; Thromboangiitis obliterans; etc.
blood supply; scleroderma and peripheral vascular disease, 308
Eyelashes, tinea capitis with infection of eyelashes; report of case, *40
trichophytosis of eyelashes, associated with tinea capitis and tinea circinata, 949

Eyelids, cysts of glands of Moll, 182
hereditary lymphedema (Nonne-Milroy-Meige); report of family with hereditary lymphedema associated with ptosis of eyelid in several generations, 147
palpebral manifestations of tertiary syphilis, 148
Eyes: See also under names of special structures and diseases of eye
arsenical treatment of ocular herpes zoster, 890
improved lead shield for treatment of malignant lesions about eyes, *284
ocular manifestations in poradenitis [inguinal lymphogranuloma], 560
pemphigus of, *246
syphilis in ophthalmology, 743

Face, chronic lymphangitis of, 748
chronic lymphedema of, 909
solid edema of, 770
Falk, A. B.: Precordial oppression; disconcerting reaction encountered in 5 day treatment of syphilis, *283
Fat: See also Lipoids
acne-like eruptions produced by industrial fats and oils; review of literature and etiologic considerations, 746
in Blood: See Blood, fats and lipoids
localized lipoid atrophy in diabetes, 144
xanthoma tuberosum (results of low fat diet), 571
Favre-Nicolas' Disease: See Lymphogranuloma Venereum
Febricula: See Fever
Feer's Disease: See Acrodynia
Feigenbaum, H. L.: Granuloma annulare or dermatitis medicamentosa, 614
Lupus erythematosus with oral lesions, 614
Feiler, H. B.: Lichen scrofulosorum; case for diagnosis, 458
Feldman, S.: Erythema multiforme bullosum causing stricture of esophagus, 455
Treatment of senile pruritus with androgens and estrogens, *112
Felsher, I. M.: Epithelioma or lupus erythematosus, 603
Fendt-Spiegler Sarcoid: See Sarcoidosis
Fetus: See also Pregnancy
relative effects of toxic doses of alcohol on fetal, newborn and adult rats, 888
Fever: See also Malaria; etc.
artificial, influence on mechanisms of resistance, 450
Therapeutic: See Neurosyphilis
Fibromata dura with diffusely involved adherent area, 608
Fibrosis, subepidermal, case for diagnosis, 944
Fifth Venereal Disease: See Granuloma inguinale
Finesinger, J. E.: Neurotic symptoms and emotional factors in atopic dermatitis, *187
Fingers and Toes: See also Hand
foreign body granuloma or interdigital cysts with hair formation, 157
Nails: See Nails
papulonecrotic tuberculid; tuberculous adenitis; dactylitis; erythema induratum, 168
Raynaud's disease with subcutaneous calcium deposition in fingers; hereditary multiple telangiectases, 579
recalcitrant lesion of finger in presence of long-standing psoriasis and arsenical keratoses, 947
synovial cysts, 153, 154
unusual sites of lesions in pellagra; gangrene of toe in 1 case, *661
Finnerud, C. W.: Folliculitis keloidalis of chin (secondary to sycosis vulgaris?), 608
Fistula, cutaneous, of dental origin, *665
Flour, ragweed dermatitis among workers in flour and grain industries, *721
Fluorescence, properties of human skin revealed by fluorescence microscopy; normal skin; vitamin A content of skin, *59
Folliculitis and hidradenitis, 759
decalvans associated with lichen spinulosus, 899
decalvans, lupus erythematosus or pemphigus, 572
keloidalis of chin (secondary to sycosis vulgaris?), 608
perifolliculitis abscedens et suffodiens, 897
Food, Allergy: See under Anaphylaxis and Allergy; and under names of various foods
Fordyce-Fox Disease: See Fox-Fordyce Disease
Foreign Bodies; foreign body granuloma or interdigital cysts with hair formation, 157
Foreskin: See Penis
Fourth Venereal Disease: See Lymphogranuloma Venereum
Fox, E. V.: Cisternal puncture; favorable report based on over 6,000 punctures, *725
Fox, H.: Case of leprosy of 61 years' duration, *552
Nocardiosis, 161
Solid edema of face, 770
Standard Nomenclature of Disease, *534
Fox-Fordyce Disease and latent syphilis, 898
Frambesia, comparison of response of yaws and syphilis in rabbit to therapy with mapharsen and neoarsphenamine, 888
Frank, S. B.: Pathogenesis of synovial lesions of skin, *691
Franks, A. G.: Varioliform eruption from sulfathiazole, *737
Fraser, J. F.: Chronic benign familial pemphigus, 326, 592
Cutaneous manifestations in Hodgkin's disease, 587, 769
Freed, C. F.: Lupus serpiginosus with elephantiasis; treatment with electrocoagulation and surgical excision; report of case, *242
Freeman, H. E.: Orthostatic hypotension accompanying tabetic form of dementia paralytica; malaria treatment; report of case, *796
Frei Reaction: See Lymphogranuloma Venereum
Friedlander, H. M.: Failure with cryotherapy in treatment of acne scars, *734
Fruchtbaum, L. M.: Pemphigus vulgaris, 177
Urticaria pigmentosa; case for diagnosis, 616
Fruits, effect of citrus juices and various mouth prophylaxes on oral flora and saliva, 147
Fungi: See Actinomycosis; Blastomycosis; Mycosis; Ringworm; Trichophytosis; etc.

Gahan, E.: Incidence of tuberculosis of skin, *130
Unilateral roentgen irradiation in treatment of acne vulgaris, *207
Gallbladder, erythema multiforme cured by cholecystectomy, 580
Gangrene: See also Raynaud's Disease
unusual sites of lesions in pellagra; gangrene of toe in 1 case, *661
Garbe, W.: Nail polish dermatitis in man, *141
Gelber, A.: Oriental sore possibly contracted in United States; report of case, *739
Gellis, S.: Unusual sites of lesions in pellagra; gangrene of toe in 1 case, *661
General Paralysis: See Dementia Paralytica
Genitals: See also under names of genitals, as Penis; Vagina; etc.
edema of genitalia complicating resin contact dermatitis due to underwear, *829
tattooing with mercury sulfide for intractable anogenital pruritus, 295
ulcers; new syndrome; iritis and acute ulcers of mouth and of vulva; its relation to current iritis with hypopyon, 148
Germicides, bacteriostatic effect of sulfathiazole in various ointment bases, *44
Glomus Tumors: See under Tumors
Glossitis: See Tongue

Gold and Gold Compounds, Therapy: See under Vitiligo; etc.
vulvovaginocervical eruption due to therapy with gold sodium thiosulfate, *250
Goldman, L.: Transparency test for differential diagnosis of plantar warts, *711
Goldstein, D. H.: Intensive treatment of syphilis with multiple injections of mapharsen; concentration of arsenic in blood, *783
Goldstein's Disease: See Telangiectasis
Goldwater, L. J.: Intensive treatment of syphilis with multiple injections of mapharsen; concentration of arsenic in blood, *783
Gonorrhea: See also Venereal Diseases
bullous eruption following sulfanilamide therapy, 461
use of vitamin A in keratosis blennorrhagica; successful treatment with massive doses; report of case *728
Goodman, M. H.: Bullous dermatitis herpetiformis, *218
Gordon Test: See under Hodgkin's Disease
Graham, T. N.: Lymphangiectasis, 915
Staphyloderma; ecthyma? 748
Granuloma annulare, *394, 615, 909, 946
annulare (disseminated), 920
annulare or dermatitis medicamentosa, 614
Coccidioidal: See Coccidioidosis
eosinophile granuloma (proliferative reticuloendotheliosis), 148
foreign body granuloma or interdigital cysts with hair formation, 157
Fungoides: See Mycosis fungoides
Inguinale, 307. See also Lymphogranuloma Venereum
inguinale or early syphilis, 906
Malignant: See Hodgkin's Disease
symmetric syphilitic granulomas of elbows, *375
Tropicum: See Frambesia
Venereal: See Granuloma inguinale
Grass, dermatitis striata pratensis bullosa (grass or meadow dermatitis), *541
Grauer, F. H.: Acne conglobata, 919
Graves, J. M.: Epithelioma or syphilis, 152
Lymphoblastoma; case for diagnosis, 154
Greenbaum, S. S.: Pemphigus vulgaris in mother and daughter, 571
Periarteritis nodosa, 566
Trichoepithelioma with basal cell epithelioma, 564
Greenhill, M. H.: Neurotic symptoms and emotional factors in atopic dermatitis, *187
Greenhouse, C. A.: Nevocarcinoma, 457
Grenz Rays: See Skin, diseases
Gross, P.: Psoriasis treated with defatted wheat germ; repigmentation of gray hair, 899
Guequierre, J. P.: Melanoma; blue nevus? 569
Periarteritis nodosa, 566
Gumma: See Heart; Lips; Syphilis; etc.
Gums, chancre of, 741
Guy, W. H.: Dermatologists for Army and Navy, *619

Haight, F. K.: Pemphigus vegetans, 158
Hailey, H.: Dermatitis from soap adherent to platinum ring, *285
Hair: See also Alopecia
foreign body granuloma or interdigital cysts with hair formation, 157
pigmented hairy nevus, bathing trunk type, with multiple satellites, 604
psoriasis treated with defatted wheat germ; repigmentation of gray hair, 899
superfluous; removal with monopolar diathermy needle, *496
trichoepithelioma with basal cell epithelioma, 564
Hall, A. F.: Recalcitrant lesion of finger in presence of long-standing psoriasis and arsenical keratoses, 947
Hallopeau's Disease: See Dermatitis vegetans
Halloran, C.: Pemphigus of eye, *246
Hand, E. A.: Improved lead shield for treatment of malignant lesions about eyes, *284
Hand: See also Fingers and Toes
chronic dermatitis of hands due to shoe polish, 466
erythema of palms associated with pregnancy, *502
Handbook for physicians on industrial health and medicine in war industries, 556
Hansen's Disease: See Leprosy
Hay Fever: See also Anaphylaxis and Allergy
odors (osmyls) as allergenic agents, 558
Heart, massive dose arsenotherapy of early syphilis by intravenous drip method; electrocardiographic abnormalities associated with massive arsenotherapy, 560
precordial oppression; disconcerting reaction encountered in 5 day treatment of syphilis, *283
rare pathologic observation of visceral syphilis; macrogummas of heart, 149
Hebra's Disease: See Pityriasis
Heisel, E. B.: Case for diagnosis, 578
Laurence-Moon-Biedl syndrome; seborrheic dermatitis, 573
Lymphogranuloma venereum with rectal syndrome and esthiomene, 574
Sarcoidosis, 575
Scleroderma with calcinosis, 576
Tertiary syphilis of skin (gumma of lip), 572
Hemangioma, case for diagnosis, 926
roentgen therapy of hemangiomata, 889
Hemopoietic System, Diseases: See Anemia; Leukemia; etc.
Hemorrhage: See also Encephalitis, hemorrhagic
hemorrhagic syphilis, *483
Henschel, E. J.: Oriental sore in United States; report of case, *705
Heroin, lichenoid papular syphilid in drug addict, 304
Herpes, erythema multiforme bullosum complicating pregnancy (herpes gestationis?), 765
gestationis; successful treatment with sulfathiazole; report of case, *841
possible herpes gestationis, 936
recurring herpetic angina, 889
zoster, ocular, arsenical treatment of, 890
zoster, symptomatic, in connection with tumor metastases into thoracic vertebrae, 890
Hidradenitis: See Sweat Glands
Hill, W. R.: Molluscum contagiosum cured with sulfapyridine, *139
Hinton Test: See Syphilis
Hirst's Phenomenon: See Agglutinins and Agglutination
Histamine content of blood and tissues of rabbit during anaphylactic shock, 287
Hodgkin's Disease, 925
cutaneous manifestations in, 587, 769
Hollander, L.: Alopecia totalis in father and daughter; report of cases, *137
Atrophy of skin and subcutaneous fat, *414
Hormones: See Androgens; Endocrine Glands; Estrogens; Insulin; etc.
Hunt, D. T.: Edema of legs; case for diagnosis, 294
Hydrarthrosis, intermittent, 568
Hydroa vacciniforme; xeroderma pigmentosum with hydroa-vacciniforme-like lesions, 613
Hydrocystoma, 160
Hydrogen Ion Concentration in therapeutic bases, 289
Hydroquinone, dermatitis due to "antiseptic oils," 446
Hyperhidrosis: See Sweat Glands
Hyperkinesia: See under Movements
Hyperpigmentation: See Pigmentation

Hyperproteinemia: See Blood, proteins
Hyperpyrexia: See under Fever; Neurosyphilis; Syphilis; etc.
Hypophysis: See Pituitary Body
Hypotension: See Blood pressure, low
Hypotrichosis: See Alopecia

Ichthyosis, keratosis diffusa foetalis (report of case), 145
simple and effective therapy, 891
Simplex: See Xeroderma
vulgaris, hologynic inheritance of, 560
Ide Test: See under Syphilis
Immunity: See also Anaphylaxis and Allergy; Antigens and Antibodies; etc.
influence of artificial fever on mechanisms of resistance, 450
vitamin A deficiency and intestinal permeability to bacteria and toxin, 288
Industrial Diseases, acne-like eruptions caused by industrial fats and oils; folliculitis produced by soya oil, 291
acne-like eruptions produced by industrial fats and oils; review of literature and etiologic considerations, 746
acne-like eruptions caused by industrial fats and oils; so-called perna disease and its pathogenesis, 292
cancer of nitrate workers, 290
course in occupational dermatoses by Dr. Louis Schwartz, 143, 554
dermatitis due to dextrins used as adhesive on tax stamps, 146
dermatitis from seed and oil of Bertholletia excelsa (brazil nut), *831
foreign body granuloma or interdigital cysts with hair formation, 157
handbook for physicians on industrial health and medicine in war industries, 556
industrial dermatitis, 744
melanoderma; acneform eruption (tar?), 589
occupational dermatitis due to parachlorm-metacresol, 147
occupational dermatitis following exposure to inorganic selenium compounds, 290
oil acne, 583
ragweed dermatitis among workers in flour and grain industries, *721
Infants: See also Children
dermatitis due to "antiseptic oils," 446
Infection: See also Immunity; Wounds
influence of acute infection on plasma lipids and course of eczema, 557
Infectious Diseases: See Infection; Syphilis; etc.
Ingraham, R. C.: Calcium, potassium and sodium metabolism and skin; use of potassium chloride in certain allergic dermatoses, *833
Inguinal Glands: See Lymph Nodes
Injections: See Blood transfusion
Insects: See Bedbugs
Instruments, improved lead shield for treatment of malignant lesions about eyes, *284
superfluous hair; removal with monopolar diathermy needle, *496
Insulin: See also Diabetes Mellitus
localized lipoid atrophy in diabetes, 144
Internal Secretions: See Endocrine Glands
Intertrigo (chafing) treated with tannic acid and brilliant green, 146
Intestines: See also Rectum
vitamin A deficiency and intestinal permeability to bacteria and toxin, 288
Iodine and Iodine Compounds; iododerma; case for diagnosis, 752
Iododerma: See under Iodine and Iodine Compounds
Iris, inflammation; new syndrome; iritis and acute ulcers of mouth and of vulva; its relation to current iritis with hypopyon, 148
Iritis: See Iris, inflammation
Itching: See Pruritus
Iva Angustifolia: See under Plants
Ivy Poisoning: See Rhus, poisoning

Jager, B. V.: Disseminated lupus erythematosus; report of 2 cases with unusual clinical manifestations, *362
Jaws, folliculitis keloidalis of chin (secondary to sycosis vulgaris?), 608
Jews, pemphigus; clinical analysis and follow-up study of 62 patients, *348
Johnson, L. M.: Hydrarthrosis, intermittent, 568
Johnson-Stevens Disease: See Erythema multiforme
Joints, pathogenesis of synovial lesions of skin, *691
Jordon, J. W.: Ragweed dermatitis among workers in flour and grain industries, *721
Junqueira, M. A.: Epidermodysplasia verruciformis (Lewandowsky and Lutz); report of 2 cases, *469
Juxta-Articular Nodules: See Nodes

Kahn, D.: Atypical sarcoid; case for diagnosis, 599
Kahn Test: See also under Syphilis
quantitative studies on atypical syphilitic serums, *843
Kala-Azar: See Leishmaniasis
Kalz, F.: Hemorrhagic syphilis, *483
Kaposi's Disease: See Xeroderma pigmentosum
Sarcoma: See Sarcoma
Varicelliform Eruption: See Pyoderma
Keddie, F. M.: Psoriasis, 155
Keil, H.: Relation of parapsoriasis to mycosis fungoides, 950
Kelly, R. J.: Iododerma; case for diagnosis, 752
Keloid: See also Cicatrix
folliculitis keloidalis of chin (secondary to sycosis vulgaris?), 608
Keratitis with rosacea, 747
Keratoconus: See Cornea, conical
Keratosis: See also Ichthyosis
blennorrhagica, 331
blennorrhagica, use of vitamin A; successful treatment with massive doses; report of case, *728
dermatitis exfoliativa with keratosis of palms and soles, 907
follicularis, 179
palmaris et plantaris, 298
pemphigus vegetans with possible arsenical keratoses, 567
pilaris, 903
pilaris, avitaminosis, epidermolysis bullosa, moniliasis or moniliid, 912
plantaris, 762, 910
plantaris (symmetric), 566
recalcitrant lesion of finger in presence of long-standing psoriasis and arsenical keratoses, 947
respiration of human keratoses and epitheliomas, *269
Kesten, B.: Psoriasis treated with defatted wheat germ; repigmentation of gray hair, 899
Kline, P. R.: Unilateral roentgen irradiation in treatment of acne vulgaris, *207
Kline Test: See under Syphilis
Klumpp, M. M.: Keratosis pilaris, 903
Knowles, F. C.: Kaposi's sarcoma, 293
Kolb, W.: Reaction to sodium diphenyl hydantoinate (dilantin sodium); hemorrhagic erythema multiforme terminating fatally, *856
Kooyman, D. J.: Tests for mildness of soap, *846

Krause, M. E.: Case for diagnosis, 578
Laurence-Moon-Biedl syndrome; seborrheic dermatitis, 573
Lymphogranuloma venereum with rectal syndrome and esthiomene, 574
Sarcoidosis, 575
Scleroderma with calcinosis, 576
Tertiary syphilis of skin (gumma of lip), 572

Labia Majora: See Vulva
Lacrimal Organs, sarcoidosis, subcutaneous nodules only, and involvement of right lacrimal gland (?) (Mikulicz syndrome), 564
Laurence-Moon-Biedl Syndrome; seborrheic dermatitis, 573
Laymon, C. W.: Mycosis fungoides, 178
Nevus, 778
Lead, improved lead shield for treatment of malignant lesions about eyes, *284
Leather dye dermatitis, 750
Legs: See also Extremities
edema of; case for diagnosis, 294
Ulcers: See Ulcers
Leider, M.: Epidermolysis bullosa hereditaria; report of 2 cases with extensive family histories, *419
Leishmaniasis, case for diagnosis, 606
oriental sore in United States; report of case, *705
oriental sore possibly contracted in United States; report of case, *739
Lentz, J. W.: Keratosis plantaris (symmetric), 566
Leprosy, case of 61 years' duration, *552
clinical evaluation of lepromin test, *792
elimination of Hansen bacillus in scales of "normal" skin, 291
endemic in Negro, 320
tuberculoid, 894
Leukemia, lymphoblastoma (lymphosarcoma? leukemia?), 173
monocytic, with oral lesions, 586
specific substances in urine of leukemia patients, 559
Leukocytes: See also Eosinophils; Leukemia; etc.
local count in different dermatoses, 292
Leukoderma: See Vitiligo
Leukopenia: See Leukocytes, count
Leukoplakia: See Tongue
Lever, W. F.: Pemphigus; clinical analysis and follow-up study of 62 patients, *348
Pemphigus conjunctivae with scarring of skin; report of 3 cases, *875
Pemphigus; historical study, *800
Levin, O. L.: Acanthosis nigricans associated with carcinoma of lung, *54
Lewis, G. M.: Avitaminosis, epidermolysis bullosa, keratosis pilaris, moniliasis or moniliid, 912
Herpes gestationis; successful treatment with sulfathiazole; report of case, *841
Lichen planus in husband and wife, 921
Melanoderma; acneform eruption (tar?), 589
Lichen planus and fixed eruption? 759
planus atrophicus, 577
planus et acuminatus atrophicans, 900
planus in husband and wife, 921
planus with pigmentation, erythema multiforme bullosum or dermatitis herpetiformis, 590
scrofulosorum; case for diagnosis, 458, 939
spinulosus associated with folliculitis decalvans, 899
Lichenification: See Neurodermatitis
Light, passive transfer in light urticaria; pathomechanism of physical allergy, 557
Liliga, H. V.: Osteomatosis cutis; report of case, *872
Lindsay, H. C. L.: Pemphigus vulgaris localized to mouth and penis, 946
Subepidermal fibrosis; case for diagnosis, 944
Lingua: See Tongue
Lipemia: See Blood, fats and lipoids
Lipids: See Blood, fats and lipoids; Lipoids
Lipoidosis: See Lipoids; Xanthoma
Lipoids: See also Fat
in Blood: See Blood, fats and lipoids
necrobiosis lipoidica diabeticorum, 570, 778
Lips, cheilitis glandularis, 753
cheilitis of undetermined cause, 586
lymphangioma of, 944
perlèche and rosacea, 181
riboflavin deficiency among Chinese; cheilosis and seborrheic dermatitis, 561
tertiary syphilis of skin (gumma of lip), 572
Liver, studies of pellagra in Chosen; gastric juice and liver function in pellagra, 745
Lofgren, R. C.: Erythema of palms associated with pregnancy, *502
Long, W. E.: Toxic eruptions due to phenobarbital; report of 2 cases, *386
Lopion: See Vitiligo
Ludy, J. B.: Case for diagnosis, 295
Luetin Test: See under Syphilis
Lungs, cancer, associated with acanthosis nigricans, *54
scleroderma with pulmonary fibrosis, 145
Tuberculosis: See Tuberculosis, pulmonary
Lunsford, C. J.: Dermatophytosis, 310
Purpura annularis telangiectodes or Schamberg's disease, 309
Luotest: See under Syphilis
Lupoid: See Sarcoidosis
Lupus: See also Tuberculosis
erythematosus, disseminated; report of 2 cases with unusual clinical manifestations, *362
erythematosus or epithelioma, 603
erythematosus or pemphigus, 173
erythematosus, pemphigus or folliculitis decalvans, 572
erythematosus profundus; case for diagnosis, 317
erythematosus, subacute disseminated, 175
erythematosus with oral lesions, 614
serpiginosus with elephantiasis; treatment with electrocoagulation and surgical excision; report of case, *242
vulgaris with pulmonary tuberculosis, 600
Lygranum: See Lymphogranuloma Venereum
Lymph Nodes: See also Lymphosarcoma
lymph space endothelioma of skin, 291
papulonecrotic tuberculid; tuberculous adenitis; dactylitis; erythema induratum, 168
Lymphadenopathy: See Lymph Nodes
Lymphangiectasis: See Elephantiasis
Lymphangioma of lip, 944
Lymphangitis, chronic, of face, 748
Lymphatic System: See also Lymph Nodes
Boeck's sarcoid involving lymphatic system, 180
Lymphedema: See Edema, hereditary; Elephantiasis
Lymphoblastoma, 154, 156, 918
lymphoblastoma (lymphosarcoma? leukemia?), 173
Lymphocytoma, localized, 170
Lymphogranuloma, Hodgkin's: See Hodgkin's Disease
Inguinale: See Granuloma inguinale; Lymphogranuloma Venereum
Schaumann's: See Sarcoidosis
Lymphogranuloma Venereum and malignancy, 742
antigenic relationship of viruses of meningopneumonitis and lymphogranuloma venereum, 449
corneal ulcer associated with, 144
erythema nodosum and other complications caused by intradermal or intravenous injections of Frei antigen in, 562
Frei test; evaluation of chick embryo antigen (lygranum), *264

Lymphogranuloma Venereum—Continued
intercurrent with other venereal diseases, 286
new aids in diagnosis of, 286
ocular manifestations in poradenitis [inguinal lymphogranuloma], 560
sulfanilylguanidine and sulfanilamide in treatment of lymphogranuloma venereum infections of mice, 887
with rectal syndrome and esthiomene, 574
yolk sac antigens in diagnosis and epidemiology of, 741
Lymphoma: See Hodgkin's Disease; Lymphosarcoma; etc.
Lymphopathia Venereum: See Lymphogranuloma Venereum
Lymphosarcoma; lymphoblastoma (lymphosarcoma? leukemia?), 173

M & B 693: See Molluscum contagiosum
MacCardle, R. C.: New approach to problem of disseminated neurodermatitis, *337
Machacek, G.: Perifolliculitis abscedens et suffodiens, 897
Macht, D. I.: Phytopharmacologic reactions of blood following treatment with sulfanilamide and derivatives, *635
MacKee, G. M.: Erythroplasia; case for diagnosis, 592
Erythroplasia or chronic benign familial pemphigus, 771
Possible herpes gestationis, 936
Macrogumma: See Heart
Magnesium, deficiency; new approach to problem of disseminated neurodermatitis, *337
Majocchi's Disease: See Purpura annularis telangiectodes
Mal del Pinto: See Pinta
Malaria, Therapeutic: See also Dementia Paralytica
therapeutic, analysis of deaths following, 447
Malingering, dermatitis factitia, 182
neurotic excoriations, *824
Mammary Gland: See Breast
Mandelbaum, J.: Absorption of vitamin A through human skin, *431
Mantoux Intradermal Test: See Tuberculosis
Mapharsen: See Arsenic and Arsenic Compounds; Syphilis
Markson, L. S.: Dermatitis from seed and oil of Bertholletia excelsa (brazil nut), *831
Marsh, C.: Cerebral lesions following administration of neoarsphenamine; multiple symmetric foci of hemorrhagic necrosis of brain, *512
Marsh Elder: See under Plants
Medicine, military; dermatologists for Army and Navy, *619
naval; dermatologists for Army and Navy, *619
Meige's Disease: See Edema, hereditary
Melanin: See Melanoma; Pigmentation
Melanoderma: See Pigmentation, cutaneous
Melanoma, 333
blue nevus? 569
congenital; report of case in which antenatal metastasis occurred, 446
malignant, 163, 774
of ear; prickle cell epithelioma of scalp, 924
Melanosis: See Pigmentation
Meleda Disease: See Keratosis
Meningitis, antigenic relationship of viruses of meningopneumonitis and lymphogranuloma venereum, 449
Menstruation; recurring herpetic angina, 889
Meralgia paraesthetica, 584
Mercury, cutaneous sensitivity to merthiolate and other mercurial compounds, *425
phenyl mercuric oleate; skin irritant properties, 887
sulfide; tattooing for intractable anogenital pruritus, 295
Merthiolate: See Mercury
Metasyphilis: See Syphilis, congenital
Methylcholanthrene, osteosis cutis in methylcholanthrene epidermal carcinogenesis in mice, *276
Mibelli's Disease: See Keratosis
Michelson, H. E.: Boeck's sarcoid involving lymphatic system, 180
Contact dermatitis; case for diagnosis, 179
Epidermolysis bullosa acquisita, 777
Erythema annulare centrifugum, 777
Keratosis follicularis, 179
Mycosis fungoides, 178
Psoriasis, 776
Sarcoidosis, 774, 775
Weed dermatitis, 778
Microscopy, properties of human skin revealed by fluorescence microscopy; normal skin; vitamin A content of skin, *59
Microsporon type of tinea capitis with grouped papular microsporid, 609
Mikulicz' Disease, sarcoidosis, subcutaneous nodules only, and involvement of right lacrimal gland (?) (Mikulicz syndrome), 564
Military Medicine: See Medicine, military
Miller, H. E.: Acrodermatitis chronica atrophicans, 307
Mycosis fungoides, 155
Papulonecrotic tuberculid, 308
Miller, J. L.: Boeck's sarcoid, 893
Use of sulfanilamide and its derivatives in ointment form; local treatment of cutaneous diseases, *379
Milroy's Disease: See Edema, hereditary
Moles: See Nevi
Molluscum contagiosum cured with sulfapyridine, *139
Moniliasis, avitaminosis, epidermolysis bullosa, keratosis pilaris or moniliid, 912
generalized, with proved pathogenicity; report of case, *643
Moniliid, avitaminosis, epidermolysis bullosa, keratosis pilaris or moniliasis, 912
Monocytes: See Leukemia, monocytic
Montgomery, A. H.: Tuberculoid leprosy, 894
Montgomery, H.: Granuloma annulare, *394
Parapsoriasis; its relation to mycosis fungoides and tuberculosis; review of 52 cases, *673
Montgomery, R. M.: Rosacea with keratitis, 747
Tinea capitis with infection of eyelashes; report of case, *40
Moon-Biedl-Laurence Syndrome: See Laurence-Moon-Biedl Syndrome
Moore, R. A.: Histopathology of skin in pellagra, *100
Morphea: See Scleroderma
Morris, G.: Frei test; evaluation of chick embryo antigen (lygranum), *264
Morrow-Brooke's Disease: See Keratosis follicularis
Morse, J. L.: Course in occupational dermatoses by Dr. Louis Schwartz, 554
Moss, R. E.: Toxic eruptions due to phenobarbital; report of 2 cases, *386
Mouth: See also Gums; Stomatitis; etc.
aphthous ulcers, 312
diseases; case for diagnosis, 579
effect of citrus juices and various mouth prophylaxes on oral flora and saliva, 147
lupus erythematosus with oral lesions, 614
monocytic leukemia with oral lesions, 586
pemphigus vulgaris localized to mouth and penis, 946
Movements, familial occurrence of pruritus, urticaria and paresthesias with hyperkinesis of lower extremities, 560
Mucous Membrane: See also Lips; Mouth; etc.
ocular pemphigus and its relation to pemphigus of skin and mucous membranes, 885

Muscles, association of neuromuscular symptoms and cutaneous lesions in vitamin A deficiency; discussion of etiologic relationship, 561
so-called myoblastoma; report of 3 cases of myoblastoma of skin and 1 case of myoblastoma of trapezius muscle, *225
syndrome of cutis laxa with defects of superficial muscles and edema lymphangiectaticum, 562
Muskatblit, E.: Generalized moniliasis with proved pathogenicity; report of case, *643
Mycobacterium Leprae: See under Leprosy
Mycosis: See also Actinomycosis; Blastomycosis; Moniliasis; Ringworm; Stomatitis; Tinea; etc.
cutaneous; causative relationship of dermatophytosis to thromboanglitis obliterans, 144
cutaneous; dermatophytosis, 310
fungoides, 155, 178, 310, 761
fungoides; parapsoriasis; its relation to mycosis fungoides and tuberculosis; review of 52 cases, *673
fungoides; pulmonary tuberculosis, 330
fungoides, relation to parapsoriasis, 950
fungoides with bullous lesions, 773
fungoides with metastases as polymorphocellular sarcoma, 891
Myelitis, syphilitic; syphilis of spinal cord, 742
Myoblastoma, so-called; report of 3 cases of myoblastoma of skin and 1 case of myoblastoma of trapezius muscle, *225
Myxedema, circumscribed, 321
with xanthoma tuberosum multiplex, 610

Nail Polish: See Cosmetics
Nails, abnormalities; pachyonychia congenita, 316
congenital nail defect; case for diagnosis, 942
separation of, *443
Navies: See Medicine, naval
Necrobiosis lipoidica diabeticorum, 570, 778
Needle, superfluous hair; removal with monopolar diathermy needle, *496
Negroes, syphilis case-finding program in Negro colleges, 286
Neoarsphenamine: See Arsphenamines; and under names of various diseases, as Syphilis; etc.
Neoplasms: See Cancer; Sarcoma; Tumors
Nerves: See also Nervous System
case of leprosy of 61 years' duration, *552
early untreated syphilis with nerve deafness, 936
Nervous System: See also Brain; Cerebellum; Nerves; Reflex; etc.
association of neuromuscular symptoms and cutaneous lesions in vitamin A deficiency; discussion of etiologic relationship, 561
Syphilis: See Neurosyphilis
Netherton, E. W.: Balanitis xerotica obliterans, 582
Blastomycosis, 584
Cheilitis of undetermined cause, 586
Erythema multiforme, 581
Erythema multiforme cured by cholecystectomy, 580
Meralgia paraesthetica, 584
Monocytic leukemia with oral lesions, 586
Oil acne, 583
Pyoderma gangraenosum, 585
Raynaud's disease with subcutaneous calcium deposition in fingers; hereditary multiple telangiectases, 579
Neurodermatitis disseminata, adjunct to therapy; calcium galactogluconate-calcium bromide, *881
disseminated, new approach to problem of, *337
keratoconus associated with atopic dermatitis; report of 2 cases, *358
Neurodermatitis—Continued
linear, 943
neurotic symptoms and emotional factors in atopic dermatitis, *187
Neurofibromatosis, von Recklinghausen's disease, 176
Recklinghausen's disease with dermatolysis, 297
Neuroses and Psychoneuroses, neurotic excoriations, *824
neurotic symptoms and emotional factors in atopic dermatitis, *187
Neurosyphilis, combined artificial fever, chemotherapy, and vaccinotherapy in treatment of neurosyphilis, 448
management of, 446
Nevi, 778. See also Angioma
naevus unilateralis tardus, 315
nevus syringocystadenomatosus papilliferus, 745
pigmented hairy nevus, bathing trunk type, with multiple satellites, 604
Vascular: See Telangiectasis
Nevocarcinoma, 457
Nevoxanthoendothelioma McDonagh (xanthoma juvenile), 911
Newman, B. A.: Erythema figuratum perstans, 945
Lymphangioma of lip, 944
Nicholas, L.: Necrobiosis lipoidica diabeticorum, 570
Nicolas-Favre Disease: See Lymphogranuloma Venereum
Nicotinic Acid, histopathology of skin in pellagra, *100
pathogenesis of acrodynia and treatment with, 563
Nipples: See Breast
Nitrates, cancer of nitrate workers, 290
Nocardiosis: See Streptotrichosis
Nodes: See also Erythema nodosum; Panniculitis; etc.
acrodermatitis chronica atrophicans with juxta-articular nodes and pseudoscleroderma, 768
Nomenclature, Standard, of Disease, *534
Nonne-Milroy-Meige Disease: See Edema, hereditary
Novy, F. G., Jr.: Congenital defect of scalp, *257
Nuts, dermatitis from seed and oil of Bertholletia excelsa (brazil nut), *831

Obituaries:
Goodman, Morris H., 884
Maloney, Edward R., 782
Ruggles, E. Wood, 884
Scholtz, Moses, 883
Smith, David King, 884
Wien, Max Samuel, 335, 444

Occupational Diseases: See Industrial Diseases
Odors (osmyls) as allergenic agents, 558
Oil acne, 583
acne-like eruptions produced by industrial fats and oils; review of literature and etiologic considerations, 746
dermatitis due to "antiseptic oils," 446
Ointments, bacteriostatic effect of sulfathiazole in various ointment bases, *44
hydrogen ion concentration in therapeutic bases, 289
use of sulfanilamide and its derivatives in ointment form; local treatment of cutaneous diseases, *379
Old Age, bullous dermatitis herpetiformis, *218
treatment of senile pruritus with androgens and estrogens, *112
O'Leary, P. A.: Vitamin therapy in dermatology and syphilology, *628
Oleoresin: See Rhus, poisoning

Oliver, E. A.: Epithelioma or lupus erythematosus, 603
Lupus vulgaris with pulmonary tuberculosis, 600
Naevus unilateralis tardus, 315
Olsen, V. M.: Bacteriostatic effect of sulfathiazole in various ointment bases, *44
Omens, D. V.: Erythema elevatum diutinum; case for diagnosis, 315
Sarcoid of Boeck, 605
Omens, H. D.: Erythema elevatum diutinum; case for diagnosis, 315
Sarcoid of Boeck, 605
Onychia: See Nails
Oppenheim, M.: Dermatitis exfoliativa chronica or pityriasis rubra Hebra; case for diagnosis, 322
Dermatitis striata pratensis bullosa (grass or meadow dermatitis), *541
Erythema induratum; case for diagnosis, 319
Fibromata dura with diffusely involved adherent area, 608
Primary lesions of pemphigus vulgaris, *201
Oriental Sore: See Leishmaniasis
Osborne, E. D.: Ragweed dermatitis among workers in flour and grain industries, *721
Osler's Disease: See Telangiectasis
Osmyls: See Odors
Osteoma; osteomatosis cutis; report of case, *872
Osteomyelitis, syphilitic ulceration associated with osteomyelitis, 463
Otsuka, M.: Sarcoid of Boeck, 605

Pachyonychia: See Nails, abnormalities
Paget's Disease of Nipples: See Breast
Palmer, R. B.: Contact dermatitis due to codeine, *82
Pan, C. S.: Clinical evaluation of lepromin test, *792
Papilloma, cell state as affecting susceptibility to virus, 449
Parachlormetacresol: See Cresols
Paralysis, General: See Dementia Paralytica
Parapsoriasis, case for diagnosis, 598
en plaques, 160, 941
maculata, 167
relation to mycosis fungoides, 950
relation to mycosis fungoides and tuberculosis; review of 52 cases, *673
Paresis: See Dementia Paralytica
Paresthesia: See under Sensation
Patch Test: See Anaphylaxis and Allergy
Pathomimesis: See Malingering
Pellagra: See also Riboflavin
histopathology of skin in, *100
in unusual locations, 754
studies in Chosen; blood findings in pellagra, 745
studies in Chosen; cutaneous manifestations and histologic findings in pellagra, 746
studies in Chosen; gastric juice and liver function in pellagra, 745
unusual sites of lesions in; gangrene of toe in 1 case, *661
Pemphigus, chronic benign familial, 326, 592
clinical analysis and follow-up study of 62 patients, *348
conjunctivae with scarring of skin; report of 3 cases, *875
erythematodes or dermatitis herpetiformis, 465
erythroplasia or chronic benign familial pemphigus, 771
foliaceus, 175
Hailey and Hailey type, 905
historical study, *800
lupus erythematosus or folliculitis decalvans, 572
ocular, and its relation to pemphigus of skin and mucous membranes, 885
Pemphigus—Continued
of eye, *246
or lupus erythematosus, 173
vegetans, 158
vegetans with possible arsenical keratoses, 567
vulgaris, 174, 177
vulgaris; failure of treatment with riboflavin and smallpox vaccine, 147
vulgaris in mother and daughter, 571
vulgaris localized to mouth and penis, 946
vulgaris, primary lesions of, *201
Penis, balanitis xerotica obliterans, 582
diseases; erythroplasia; case for diagnosis, 592
diseases; erythroplasia or chronic benign familial pemphigus, 771
pemphigus vulgaris localized to mouth and penis, 946
Periadenitis: See under Lymph Nodes
Periarteritis nodosa, 566
Perifolliculitis: See Folliculitis
Periphlebitis; perivasculitis nodosa necrotisans; case for diagnosis, 755
Perivasculitis: See Periphlebitis
Perlèche: See under Lips
Perlstein, M. O.: Max Samuel Wien, 444
Perna: See Chloronaphthalene
Persky, A. M.: Xanthoma tuberosum multiplex with myxedema, 610
Perspiration: See under Sweat Glands
Phenobarbital: See Barbital and Barbital Derivatives
Phenyl Mercuric Oleate: See Mercury
Photosensitization: See Light
Phytopharmacologic Reaction: See Skin, diseases
Pigmentation: See also Hair; Nevi; Schamberg's Disease; Xeroderma pigmentosum; etc.
cutaneous; melanoderma; acneform eruption (tar?), 589
cutaneous; melanoma; blue nevus? 569
diffuse, case for diagnosis, 940
lichen planus with pigmentation, erythema multiforme bullosum or dermatitis herpetiformis, 590
Pillsbury, D. M.: Keratosis plantaris (symmetric), 566
Pilonidal Sinus, tuberculosis, gumma, actinomycosis or infected pilonidal cyst, 332
Pines, C.: Recklinghausen's disease with dermatolysis, 297
Pink Disease: See Acrodynia
Pinta, initial lesions of mal del pinto (new dermatosis), 149
Pituitary Body, basophilic adenoma of pituitary (Cushing's basophilism); poikiloderma-like changes of skin, 166
Pityriasis rubra Hebra or dermatitis exfoliativa chronica, 322
rubra pilaris, 892
rubra pilaris, hypovitaminosis resembling, 751
Placenta, transfer of bismuth into fetal circulation after maternal administration of sobisminol, 287
Plants: See also under names of plants
contact dermatitis from narrow leaf marsh elder (Iva angustifolia); observations on dermatitis-producing factor, 558
dermatitis bullosa striata pratensis; agrimony dermatitis, 289
weed dermatitis, 778
Platinum, dermatitis from soap adherent to platinum ring, *285
Plumbism: See Lead, poisoning
Pneumonia, antigenic relationship of viruses of meningopneumonitis and lymphogranuloma venereum, 449
Poikiloderma, basophilic adenoma of pituitary (Cushing's basophilism); poikiloderma-like changes of skin, 166

Poison Ivy: See Rhus, poisoning
Poisons and Poisoning: See Dyes; and under names of substances, as Mercury; etc.
Pollen: See Hay Fever; Ragweed
Pollock, J.: Treatment of senile pruritus with androgens and estrogens, *112
Polysaccharides: See Saccharides
Pontocaine: See Anesthesia
Popper, H.: Properties of human skin revealed by fluorescence microscopy; normal skin; vitamin A content of skin, *59
Poradenitis: See Lymphogranuloma Venereum
Porokeratosis: See Keratosis
Position: See Posture
Posture, orthostatic hypotension accompanying tabetic form of dementia paralytica; malaria treatment; report of case, *796
Potassium, calcium and sodium metabolism and skin; use of potassium chloride in certain allergic dermatoses, *833
Pregnancy: See also Fetus
erythema multiforme bullosum complicating pregnancy (herpes gestationis?), 765
erythema of palms associated with pregnancy, *502
herpes gestationis; successful treatment with sulfathiazole; report of case, *841
massive dose arsenotherapy of early syphilis by intravenous drip method; pregnancy, and its outcome, associated with or following treatment of early syphilis by massive arsenotherapy, 560
possible herpes gestationis, 936
Prepuce: See Penis
Pringle's Disease: See Sebaceous Glands
Protein in Blood: See Blood, proteins
Prunty, F. C.: Granuloma annulare, *394
Pruritus, familial occurrence of pruritus, urticaria and paresthesias with hyperkinesis of lower extremities, 560
tattooing with mercury sulfide for intractable anogenital pruritus, 295
treatment of senile pruritus with androgens and estrogens, *112
Pseudoleprosy of Robles; its presence in Mexico, 290
Pseudoscleroderma and acrodermatitis chronica atrophicans with juxta-articular nodes, 768
Psoriasis, 155, 776
etiology investigated according to method of Lindenberg, 148
of palms and soles, 178
recalcitrant lesion of finger in presence of long-standing psoriasis and arsenical keratoses, 947
treated with defatted wheat germ; repigmentation of gray hair, 899
Psychoses: See Neuroses and Psychoneuroses
Ptosis: See Eyelids
Purpura annularis telangiectodes or Schamberg's disease, 309
hemorrhagic syphilis, *483
Kaposi's sarcoma or capillary angioma, 896
Pyoderma, chancriform, 306
faciale and acne vulgaris, 314
gangraenosum, 585
gangraenosum in patient with syphilis, 753
local treatment of pyogenic cutaneous infections with sulfathiazole in emulsion base, 144
Pyodermitis? See Dermatitis vegetans

Races: See also Negroes; etc.
pemphigus; clinical analysis and follow-up study of 62 patients, *348
Ragweed: See also Hay Fever
ragweed dermatitis among workers in flour and grain industries, *721
Rattner, H.: Precordial oppression; disconcerting reaction encountered in 5 day treatment of syphilis, *283
Ray, L. F.: Sporotrichosis; report of case in which it was resistant to treatment, *211
Raynaud's Diseases with subcutaneous calcium deposition in fingers; hereditary multiple telangiectasis, 579
Reagin: See under Syphilis
von Recklinghausen's Disease: See Neurofibromatosis
Rectum, lymphogranuloma venereum with rectal syndrome and esthiomene, 574
Rees, R. B.: Hydrocystoma, 160
Reflex, bullae and paresthesia with absent patellar and achilles reflexes, 290
Rein, C. R.: Diffuse scleroderma and sclerodactylia, 452
Macular atrophy, 302
Pemphigus erythematodes or dermatitis herpetiformis, 465
Sarcoid of Boeck, 938
Rendu-Osler's Disease: See Telangiectasis
Resin, dermatitis from underwear shorts processed by resin finishes; report of 20 cases observed at Bellevue Hospital, *254
edema of genitalia complicating resin contact dermatitis due to underwear, *829
Reticuloendothelial System, eosinophile granuloma (proliferative reticuloendotheliosis), 148
Reticuloendotheliosis: See Leukemia, monocytic; Reticuloendothelial System
Reuter, M. J.: Colloid degeneration (collagen degeneration) of skin, *695
Reuter, R. J.: Adjunct to therapy of neurodermatitis disseminata; calcium galactogluconate-calcium bromide, *881
Rhinoscleroma, 911
Rhus, poisoning; poison ivy dermatitis; diagnostic value of patch test made with ether extract from fresh leaves and stems of poison ivy plant, 449
poisoning; prophylactic oral therapy (oleoresin) against poison ivy, 449
poisoning; sodium perborate ointment and poison ivy dermatitis, 145
poisoning; stomatitis venenata and dermatitis of anal orifice from chewing poison ivy leaves (Rhus toxicodendron), 147
Riboflavin: See also Pellagra; Vitamins, B
deficiency among Chinese; cheilosis and seborrheic dermatitis, 561
pemphigus vulgaris; failure of treatment with riboflavin and smallpox vaccine, 147
Ringworm: See also Mycosis; Tinea; Trichophytosis; etc.
erysipelatous ringworm infection, 933
Trichophyton purpureum (Bang) and Trichophyton gypseum (Bodin); differentiation in culture, *651
Riordan, T. J.: Unusual sites of lesions in pellagra; gangrene of toe in 1 case, *661
Ritchie, E. B.: Reaction to sodium diphenyl hydantoinate (dilantin sodium); hemorrhagic erythema multiforme terminating fatally, *856
Ritter's Disease: See Dermatitis exfoliativa
Robertson, J. E.: Orthostatic hypotension accompanying tabetic form of dementia paralytica; malaria treatment; report of case, *796
Robinson, H. M., Jr.: Cutaneous sensitivity to merthiolate and other mercurial compounds, *425
Rockwood, E. M.: Sporotrichosis; report of case in which it was resistant to treatment, *211
Roentgen Rays, Therapy: See under names of organs, regions and diseases, as Acne vulgaris; Epithelioma; Hemangioma; etc.
Ronchese, F.: Sarcoid and tuberculosis; report of case with autopsy, *860
Rosen, I.: Boeck's sarcoid, 908
Lichen planus and fixed drug eruption? 759

Rostenberg, A.: Chronic discoid and lichenoid exudative dermatitis; case for diagnosis, 301
Familial xanthoma tuberosum, 456
Parapsoriasis en plaques; case for diagnosis, 941
Rothman, S.: Circumscribed myxedema, 321
Rubber, proper use of rubber sponge dressings, *739
Rubinowitz, A. M.: Unusual sites of lesions in pellagra; gangrene of toe in 1 case, *661
Rulison, R. H.: Warts; statistical study of 921 cases, *66
Ryan, J. E.: Dermatitis from underwear shorts processed by resin finishes; report of 20 cases observed at Bellevue Hospital, *254

Saccharides, relationship of antigenicity, physical-chemical properties and polysaccharide content of tuberculins to their intracutaneous activity, 450
Saliva, effect of citrus juices and various mouth prophylaxes on oral flora and saliva, 147
Sarcoidosis, 575, 774, 775
atypical sarcoid; case for diagnosis, 599
Besnier-Boeck disease, 562
Boeck's sarcoid, 605, 893, 908, 938
Boeck's sarcoid involving lymphatic system, 180
sarcoid and tuberculosis; report of case with autopsy, *860
Spiegler-Fendt sarcoid, *489
subcutaneous nodules only, and involvement of right lacrimal gland (?) (Mikulicz syndrome), 564
with total blindness, 914
Sarcoma: See also Cancer; Tumors; and under names of tumors, as Lymphosarcoma; etc.
Kaposi's, 293
Kaposi's, purpura or capillary angioma, 896
mycosis fungoides with metastases as polymorphocellular sarcoma, 891
Saunders, T. S.: Proper use of rubber sponge dressings, *739
Sayer, A.: Aplastic anemia due to arsphenamine; stomatitis of unknown origin, 453
Chronic lymphedema; case for diagnosis, 465
Diffuse pigmentation; case for diagnosis, 940
Epidermodysplasia verruciformis (Lewandowsky-Lutz); report of case with all essential features, *234
Keratosis palmaris et plantaris, 298
Macular atrophy (Schweninger and Buzzi type), 460
Scabies, 756
organized treatment for, 289
Scalp, congenital defect of, *257
Diseases: See under names of diseases, as Ringworm; Seborrhea; Tinea; etc.
melanoma of ear; prickle cell epithelioma of scalp, 924
tinea capitis with infection of eyelashes; report of case, *40
Trichophyton infection in Formosa; fungous infection of scalp in central Formosa, 746
Scars: See Cicatrix
Schamberg's Disease, acrodermatitis chronica atrophicans or rosacea, 181
or purpura annularis telangiectodes, 309
Schaumann's Disease: See Sarcoidosis
Scheer, M.: Keratosis plantaris, 910
Schizophrenia: See Dementia Praecox
Schlessinger, L.: Absorption of vitamin A through human skin, *431
Schmidt, F. R.: So-called myoblastoma; report of 3 cases of myoblastoma of skin and 1 case of myoblastoma of trapezius muscle, *225
Schmidt, O. E. L.: Lichen planus atrophicus, 577
Schmitt, C. L.: Atrophy of skin and subcutaneous fat, *414
Schoch, A. G.: Cisternal puncture; favorable report based on over 6,000 punctures, *725
Intensive arsenotherapy of early syphilis; follow-up report on 10 day syringe method of treatment, *128
Schorr, H. C.: Calcium, potassium and sodium metabolism and skin; use of potassium chloride in certain allergic dermatoses, *833
Parapsoriasis; case for diagnosis, 598
Schwartz, Louis, course in occupational dermatoses by, 143, 554
Schweig, J.: Epidermodysplasia verruciformis (Lewandowsky-Lutz); report of case with all essential features, *234
Scleredema: See Scleroderma
Sclerema: See Scleroderma
Sclerodactylia: See Scleroderma
Scleroderma, 151
and peripheral vascular disease, 308
circumscribed, 616
diffuse, and sclerodactylia, 452
generalized, progressive type, 763
progressive type, 898
seventeen years' duration, 324
with calcinosis, 576
with pulmonary fibrosis, 145
Scleroma: See Rhinoscleroma
Scrofuloderma: See Tuberculosis
Scull, R. H.: Leprosy (endemic in Negro), 320
Sebaceous Glands, adenoma sebaceum (Pringle), 176
Seborrhea, Laurence-Moon-Biedl syndrome; seborrheic dermatitis, 573
riboflavin deficiency among Chinese; cheilosis and seborrheic dermatitis, 561
seborrheic dermatitis or avitaminosis, 931
Secretions, Internal: See Endocrine Glands
Section on Dermatology and Syphilology of American Medical Association, 443
Selenium Compounds, occupational dermatitis following exposure to inorganic selenium compounds, 290
Senear, F. E.: Neurotic excoriations, *824
Senear-Usher Syndrome: See Pemphigus
Senility: See Old Age
Sensation, bullae and paresthesia with absent patellar and achilles reflexes, 290
familial occurrence of pruritus, urticaria and paresthesias with hyperkinesis of lower extremities, 560
meralgia paraesthetica, 584
Shaffer, B.: Trichoepithelioma with basal cell epithelioma, 564
Sharlit, H.: Granuloma annulare, 909
Shellow, H.: Neurotic excoriations, *824
Shelton, J. M.: Alopecia totalis in father and daughter; report of cases, *137
Sherman, B. K.: Edema of genitalia complicating resin contact dermatitis due to underwear, *829
Sherman, I.: Edema of genitalia complicating resin contact dermatitis due to underwear, *829
Shock, Anaphylactic: See Anaphylaxis and Allergy
Shoes, chronic dermatitis of hands due to shoe polish, 466
Dye: See Dyes
Shorts: See Clothing
Siegel, J.: Intensive treatment of syphilis with multiple injections of mapharsen; concentration of arsenic in blood, *783
Silver, H.: Acanthosis nigricans, 459
Silverberg, M. G.: Oriental sore in United States; report of case, *705
Silvers, S. H.: Granuloma annulare, 615
Xeroderma pigmentosum with hydroa-vacciniforme-like lesions, 613
Skeer, J.: Erythema induratum, 611
Skeleton: See Bones

Skin: See also Dermatology; Sensation
Abnormalities: See also Atrophy; Pigmentation; etc.
abnormalities; Recklinghausen's disease with dermatolysis, 297
abnormalities; syndrome of cutis laxa with defects of superficial muscles and edema lymphangiectaticum, 562
absorption of vitamin A through human skin, *431
Atrophy: See Atrophy
Blood Supply: See Capillaries
calcium, potassium and sodium metabolism and skin; use of potassium chloride in certain allergic dermatoses, *833
Cancer: See Cancer; Epithelioma; Sarcoma; etc.
colloid degeneration (collagen degeneration) of, *695
cutaneous and conjunctival manifestations of sulfathiazole intoxication, 146
cutaneous manifestations in Hodgkin's disease, 587, 769
Diseases: See also Dermatitis; and under names of diseases, as Eczema; Herpes; Mycosis; etc.; and under names of plants and drugs, as Arsphenamines; Rhus; etc.
diseases; association of neuromuscular symptoms and cutaneous lesions in vitamin A deficiency; discussion of etiologic relationship, 561
diseases; Dermatoses Investigations Section, 143, 554
diseases; grenz ray therapy in dermatology, 290
diseases; hydrogen ion concentration in therapeutic bases, 289
diseases; local leukocyte count in different dermatoses, 292
diseases; necrobiosis lipoidica diabeticorum, 570, 778
diseases; phytopharmacologic reactions of blood following treatment with sulfanilamide and derivatives, *635
diseases; Standard Nomenclature of Disease, *534
diseases; use of sulfanilamide and its derivatives in ointment form; local treatment of cutaneous diseases, *379
diseases; vitamin therapy in dermatology and syphilology, *628
diseases; Weltmann's serum coagulation reaction in cases of dermatoses and of syphilis, *87
elimination of Hansen bacillus in scales of "normal" skin, 291
epithelioma of skin; manner of growth; histologic study of whole tumor sections, *1
Gangrene: See Gangrene
Hemorrhage: See Purpura
histopathology in pellagra, *100
Inflammation: See Dermatitis
mixed tumor of, 777
ocular pemphigus and its relation to pemphigus of skin and mucous membranes, 885
osteomatosis cutis; report of case, *872
osteosis cutis in methylcholanthrene epidermal carcinogenesis in mice, *276
pathogenesis of synovial lesions of, *691
Pigmentation: See under Pigmentation
properties of human skin revealed by fluorescence microscopy; normal skin; vitamin A content of skin, *59
so-called myoblastoma; report of 3 cases of myoblastoma of skin and 1 case of myoblastoma of trapezius muscle, *225
studies of pellagra in Chosen; cutaneous manifestations and histologic findings in pellagra, 746
Syphilis: See Syphilids

Skin—Continued
tests for mildness of soap, *846
Tuberculosis: See Tuberculids; Tuberculosis
Tumors: See under Tumors
Ulcers: See Ulcers
Slepyan, A. H.: Pachyonychia congenita, 316
Smallpox, application of Hirst's phenomenon to titration of vaccinia virus and vaccinia immune serum, 744
pemphigus vulgaris; failure of treatment with riboflavin and smallpox vaccine, 147
varioliform eruption from sulfathiazole, *737
Snyder, F. H.: Tests for mildness of soap, *846
Soap, dermatitis from soap adherent to platinum ring, *285
tests for mildness of, *846
Sobel, N.: Chancriform pyoderma, 306
Sobisminol: See Bismuth and Bismuth Derivatives
Societies, American Board of Dermatology and Syphilology, 143
dermatologic, directory of, 183, 782
foreign, directory of, 183
international, directory of, 183
local, directory of, 185
national, directory of, 183
Section on Dermatology and Syphilology of American Medical Association, 443
sectional, directory of, 184
state, directory of, 184

Society Transactions:
Bronx Dermatological Society, 295, 452, 936
Brooklyn Dermatological Society, 171, 610
Chicago Dermatological Society, 315, 598
Cleveland Dermatological Society, 572
Los Angeles Dermatological Society, 944
Manhattan Dermatologic Society, 587, 755
Metropolitan Dermatological Society, 747
Minnesota Dermatological Society, 178, 774
New York Academy of Medicine, Section of Dermatology and Syphilis, 304, 892
New York Dermatological Society, 161, 324, 762, 921
Philadelphia Dermatological Society, 293, 564
San Francisco Dermatological Society, 151, 307

Sodium Bismuth Triglycollamate: See Syphilis
calcium, potassium and sodium metabolism and skin; use of potassium chloride in certain allergic dermatoses, *833
diphenyl hydantoinate; reaction to dilantin sodium; hemorrhagic erythema multiforme terminating fatally, *856
Gold Thiosulfate: See Gold and Gold Compounds
Perborate: See Rhus, poisoning
Solomon, H. A.: Cutaneous fistulas of dental origin, *665
Soy Beans, acne-like eruptions caused by industrial fats and oils; folliculitis produced by soya oil, 291
Spiegel, L.: Early untreated syphilis with nerve deafness, 936
Spiegler-Fendt Sarcoid: See Sarcoidosis
Spies, T. D.: Histopathology of skin in pellagra, *100
Spinal Cord, Syphilis: See Myelitis, syphilitic
Spine, tumors; symptomatic herpes zoster in connection with tumor metastases into thoracic vertebrae, 890
Spinner, G. J.: Epidermolysis bullosa acquisita, 299
Spirochaeta Pallida: See also Syphilis
survival of Treponema pallidum in preserved citrated human blood plasma, 447
Sporotrichosis, 327, 774
report of case in which it was resistant to treatment, *211
Stamps, dermatitis due to dextrins used as adhesive on tax stamps, 146

Staphylococci, bacteriophage therapy; effect of bacteriophage in experimental staphylococcal septicemia in rabbits, 888
bacteriostatic effect of sulfathiazole in various ointment bases, *44
Staphyloderma; ecthyma? 748
Steiner, K.: Weltmann's serum coagulation reaction in cases of dermatoses and of syphilis, *87
Stevens-Johnson Disease: See Erythema multiforme
Stewart, R. A.: Lymphoblastoma, 156
Stomach, gastric lesions associated with early syphilis, 448
studies of pellagra in Chosen; gastric juice and liver function in pellagra, 745
Stomatitis, aplastic anemia due to arsphenamine; stomatitis of unknown origin, 453
bismuth stomatitis and albuminuria, 447
new syndrome; iritis and acute ulcers of mouth and of vulva; its relation to current iritis with hypopyon, 148
nutritional stomatoglossitis among war refugees in Shanghai, 561
venenata and dermatitis of anal orifice from chewing poison ivy leaves (Rhus toxicodendron), 147
Stone, E. T. R.: Vulvovaginocervical eruption due to therapy with gold sodium thiosulfate, *250
Stowell, R. E.: Osteosis cutis in methylcholanthrene epidermal carcinogenesis in mice, *276
Strakosch, E. A.: Bacteriostatic effect of sulfathiazole in various ointment bases, *44
Strawberry Nevi: See Angioma
Streptococci, bacteriostatic effect of sulfathiazole in various ointment bases, *44
Streptotrichosis; nocardiosis, 161
Stroud, G. M.: Case for diagnosis, 579
Sudoriparous Glands: See under Sweat Glands
Sulfanilamide and Sulfanilamide Derivatives, bacteriostatic effect of sulfathiazole in various ointment bases, *44
bullous eruption following sulfanilamide therapy, 461
cutaneous and conjunctival manifestations of sulfathiazole intoxications, 146
phytopharmacologic reactions of blood following treatment with sulfanilamide and derivatives, *635
Therapy: See Gonorrhea; Lymphogranuloma Venereum; Molluscum contagiosum; Pyoderma; Skin, diseases; etc.
use of sulfanilamide and its derivatives in ointment form; local treatment of cutaneous diseases, *379
varioliform eruption from sulfathiazole, *737
Sulfapyridine, Therapy: See Molluscum contagiosum
Sulfathiazole: See Pyoderma; Sulfanilamide and Sulfanilamide Derivatives
Sutton, R. L., Jr.: Epithelioma of skin; manner of growth; histologic study of whole tumor sections, *1
Sutton's Disease: See Vitiligo
Sweat Glands, cysts of glands of Moll, 182
hidradenitis and folliculitis, 759
hydrocystoma, 160
nevus syringocystadenomatosus papillifferus, 745
Sweitzer, S. E.: Dermatitis factitia, 182
Mixed tumor of skin, 777
Necrobiosis lipoidica diabeticorum, 778
Perlèche and rosacea, 181
Psoriasis of palms and soles, 178
Schamberg's disease, acrodermatitis chronica atrophicans or rosacea, 181
Telangiectasis; case for diagnosis, 180
Swift-Selter-Feer's Disease: See Acrodynia
Sycosis vulgaris; folliculitis keloidalis of chin (secondary to sycosis vulgaris?), 608
Synovial Membrane, cysts, 153, 154
malignant tumors of synovial origin, 886
pathogenesis of synovial lesions of skin, *691
Syphilids, lichenoid papular syphilid in drug addict, 304
Syphilis: See also Chancre; Spirochaeta Pallida; Syphilids; Venereal Diseases; and under names of organs, regions and diseases, as Aortitis; Myelitis; etc.
agglutination of suspensions of bentonite by syphilitic sera, 448
analysis of deaths following therapeutic malaria, 447
and actinomycosis, 312
antisyphilitic treatment; mortality studies, 286
biologic false positive reactions for syphilis associated with hyperproteinemia; preliminary report, *713
biologic false positive serologic reactions in tests for, 145
case-finding program in Negro colleges, 286
case for diagnosis, 311
comparison of response of yaws and syphilis in rabbit to therapy with mapharsen and neoarsphenamine, 888
congenital, acquired by fetus before appearance of chancre in mother, *135
congenital; does syphilitic aortitis occur often in patients with congenital syphilis? 561
early, intensive arsenotherapy; follow-up report on 10 day syringe method of treatment, *128
early, or granuloma inguinale, 906
early; treatment by massive dose method, 448
early untreated syphilis with nerve deafness, 936
false positive serologic reactions for syphilis in infantile tuberculosis, 890
gastric lesions associated with early syphilis, 448
hemorrhagic, *483
Hereditary: See Syphilis, congenital
in ophthalmology, 743
inadequacy of single prolonged fever for treatment of early acute syphilis, 742
intensive treatment with multiple injections of mapharsen; concentration of arsenic in blood, *783
latent, and Fox-Fordyce disease, 898
massive dose arsenotherapy of early syphilis by intravenous drip method; electrocardiographic abnormalities associated with massive arsenotherapy, 560
massive dose arsenotherapy of early syphilis by intravenous drip method; pregnancy, and its outcome, associated with or following treatment of early syphilis by massive arsenotherapy, 560
massive dose arsenotherapy of early syphilis by intravenous drip method; toxicology, clinical observation and therapeutic results, 559
multiple gummas successfully treated by oral administration of sodium bismuth triglycollamate, 754
or epithelioma, 152
oral administration of arsphenamine and neoarsphenamine in treatment of experimental syphilis of rabbits, 447
policy of United States Civil Service Commission toward applicants with syphilis, 741
precordial oppression; disconcerting reaction encountered in 5 day treatment of syphilis, *283
pyoderma gangraenosum in patient with syphilis, 753
quantitative studies on atypical syphilitic serums, *843
relation of cholesterol to antigen in tissue-extracts prepared according to standardized procedure, 887
review of recent literature, 743
symmetric syphilitic granulomas of elbows, *375
syphilitic ulceration associated with osteomyelitis, 463
tertiary, of skin (gumma of lip), 572

Syphilis—Continued
tertiary, palpebral manifestations of, 148
titration of traces of reagin; technic of flocculation using maximal serum proportions with secondary recovery of antigen, 446
transfer of bismuth into fetal circulation after maternal administration of sobisminol, 287
tuberculosis, gumma, actinomycosis or infected pilonidal cyst, 332
ulcer of leg in syphilitic patient; case for diagnosis, 300
vitamin therapy in dermatology and syphilology, *628
Weitmann's serum coagulation reaction in cases of dermatoses and of syphilis, *87
Syphiloderm: See Syphilids

Tabes Dorsalis, orthostatic hypotension accompanying tabetic form of dementia paralytica; malaria treatment; report of case, *796
Talbott, J. H.: Pemphigus; clinical analysis and follow-up study of 62 patients, *348
Pemphigus; historical study, *800
Tannic Acid: See Burns; Intertrigo
Tar, melanoderma; acneform eruption (tar?), 589
Tattooing with mercury sulfide for intractable anogenital pruritus, 295
Teaching: See Education
Teeth, cutaneous fistulas of dental origin, *665
Teitelman, S. L.: Biologic false positive reactions for syphilis associated with hyperproteinemia; preliminary report, *713
Telangiectasis: See also Angioma; Purpura annularis telangiectodes
case for diagnosis, 180
progressive syndrome consisting of symmetric cutaneous and conjunctival telangiectases and cerebellar manifestations, 890
Raynaud's disease with subcutaneous calcium deposition in fingers; hereditary multiple telangiectases, 579
Telephone, contact dermatitis (telephone receiver?), 597
Templeton, H. J.: Foreign body granuloma or interdigital cysts with hair formation, 157
Lewandowsky's rosacea-like tuberculid? 161
Tendons, xanthoma tuberosum and tendon xanthoma, 929
Testosterone: See Androgens
Thomas, C. C.: Sarcoidosis, subcutaneous nodules only, and involvement of right lacrimal gland (?) (Mikulicz syndrome), 564
Thromboangiitis obliterans, causative relationship of dermatophytosis to, 144
Thrombocytopenia: See Purpura
Thrush: See Moniliasis
Tinea: See also Ringworm; Trichophytosis
Amiantacea: See Seborrhea
capitis; microsporon type of tinea capitis with grouped papular microsporid, 609
capitis; trichophytosis of eyelashes, associated with tinea capitis and tinea circinata, 949
capitis with infection of eyelashes; report of case, *40
circinata; trichophytosis of eyelashes, associated with tinea capitis and tinea circinata, 949
Decalvans: See Alopecia areata
Tissue, epithelioma of skin; manner of growth; histologic study of whole tumor sections, *1
growth of epithelium in tegumentary tissues; healing of cutaneous wounds; regeneration, 289
histamine content of blood and tissues of rabbit during anaphylactic shock, 287
respiration of human keratoses and epitheliomas, *269
studies on antibody-antigen mixtures: effect on normal living excised tissue, 887
Toe Nails: See Nails
Toes: See Fingers and Toes
Tolmach, J. A.: Lymphoblastoma, 918
Tongue, leukoplakia of, 168
nutritional stomatoglossitis among war refugees in Shanghai, 561
Torrey, F. A.: Angioma, 309
Ulcer of back; case for diagnosis, 151
Toxicodermas: See Dermatitis, venenata; Drugs, eruptions
Transparency Test: See Verruca
Traub, E. F.: Bowen's disease; case for diagnosis, 935
Hemangioma; case for diagnosis, 926
Leukoplakia of tongue, 168
Malignant melanoma, 163, 774
Melanoma, 333
Pemphigus (Hailey and Hailey type), 905
Pityriasis rubra pilaris, 892
Scleroderma (17 years' duration), 324
Seborrheic dermatitis or avitaminosis, 931
Sporotrichosis, 327, 774
Varioliform eruption from sulfathiazole, *737
Treponema Pallidum: See Spirochaeta Pallida
Trichophytid: See Trichophytosis
Trichophytin: See Trichophytosis
Trichophyton purpureum (Bang) and Trichophyton gypseum (Bodin); differentiation in culture, *651
Trichophytosis: See also Mycosis
of eyelashes, associated with tinea capitis and tinea circinata, 949
Trichophyton infection in Formosa; fungous infection of scalp in central Formosa, 746
Tropical Medicine: See under names of tropical diseases, as Leishmaniasis; etc.
Tubercle Bacilli: See Tuberculosis
Tuberculids: See also under Tuberculosis
papulonecrotic, 308
papulonecrotic; tuberculous adenitis; dactylitis; erythema induratum, 168
rosacea-like, of Lewandowsky, 161, 328, 901, 902
Tuberculin: See under Tuberculosis
Tuberculosis: See also Tuberculids; and under names of organs and regions, as Lymph Nodes; Vagina; etc.
and sarcoid; report of case with autopsy, *860
false positive serologic reactions for syphilis in infantile tuberculosis, 890
gumma, actinomycosis or infected pilonidal cyst, 332
incidence of tuberculosis of skin, *130
parapsoriasis; its relation to mycosis fungoides and tuberculosis; review of 52 cases, *673
pulmonary; mycosis fungoides, 330
pulmonary, with lupus vulgaris, 600
relationship of antigenicity, physical-chemical properties and polysaccharide content of tuberculins to their intracutaneous activity, 450
tuberculoid leprosy, 894
Tularemia, agglutination reaction in, 288
Tulipan, L.: Generalized moniliasis with proved pathogenicity; report of case, *643
Tumors: See also Adenoma; Angioma; Cancer; Endothelioma; Epithelioma; Hemangioma; Lymphangioma; Lymphoblastoma; Melanoma; Osteoma; Papilloma; Rhinoscleroma; Sarcoma; etc.; and under names of organs and regions, as Elbow; Muscles; Spine; Synovial Membrane; etc.
glomus tumors, 886
mixed, of skin, 777
symptomatic herpes zoster in connection with tumor metastases into thoracic vertebrae, 890
Turell, R.: Tattooing with mercury sulfide for intractable anogenital pruritus, 295

Tuta, J. A.: So-called myoblastoma; report of 3 cases of myoblastoma of skin and 1 case of myoblastoma of trapezius muscle, *225
Symmetric syphilitic granulomas of elbows, *375
Twining, H. E.: Pemphigus vegetans with possible arsenical keratoses, 567

Ulcers: See also under names of organs and regions, as Cornea; Genitals; Vulva; etc.
case for diagnosis, 565
contact dermatitis due to cod liver oil; report of case, *140
erythema ab igne or ulcers of legs, 928
of back; case for diagnosis, 151
of leg in syphilitic patient; case for diagnosis, 300
proper use of rubber sponge dressings, *739
syphilitic ulceration associated with osteomyelitis, 463
Ultrashort Waves: See under names of organs, regions and diseases
Ultraviolet Rays, Therapy: See under names of organs, regions and diseases
Umansky, M.: Ulcer of leg in syphilitic patient; case for diagnosis, 300
Underwear: See Clothing
Universities, syphilis case-finding program in Negro colleges, 286
Urine, specific substances in urine of leukemia patients, 559
Urticaria, calcium, potassium and sodium metabolism and skin; use of potassium chloride in certain allergic dermatoses, *833
familial occurrence of pruritus, urticaria and paresthesias with hyperkinesis of lower extremities, 560
passive transfer in light urticaria; pathomechanism of physical allergy, 557
pigmentosa, 602, 616
Usher-Senear Syndrome: See Pemphigus
Uterus, vulvovaginocervical eruption due to therapy with gold sodium thiosulfate, *250

Vaccine Therapy: See Neurosyphilis
Vagina, tuberculosis of vulva and vagina; case for diagnosis, 894
vulvovaginocervical eruption due to therapy with gold sodium thiosulfate, *250
Van Dyck, L. S.: Cheilitis glandularis, 753
Dermatitis medicamentosa, 904
Hypovitaminosis resembling pityriasis rubra pilaris, 751
Rhinoscleroma, 911
Variola: See Smallpox
Venereal Diseases: See also Chancre; Chancroid; Gonorrhea; Neurosyphilis; Syphilis; etc.
conference on control needs in wartime, 556
lymphogranuloma venereum intercurrent with other venereal diseases, 286
Venom, results of investigation of poison of Cimex lectularius, 745
Vero, F.: Purpura, Kaposi's sarcoma or capillary angioma, 896
Scleroderma, progressive type, 898
Verruca, epidermodysplasia verruciformis (Lewandowsky-Lutz); report of case with all essential features, *234
epidermodysplasia verruciformis (Lewandowsky and Lutz); report of 2 cases, *469
transparency test for differential diagnosis of plantar warts, *711
warts; statistical study of 921 cases, *66
Vesication, bullae and paresthesia with absent patellar and achilles reflexes, 290
bullous dermatitis herpetiformis, *218
bullous eruption following sulfanilamide therapy, 461
mycosis fungoides with bullous lesions, 773
Viruses: See also under Herpes; Lymphogranuloma Venereum; Papilloma; Pneumonia; etc.
Viruses—Continued
antigenic relationship of viruses of meningopneumonitis and lymphogranuloma venereum, 449
etiology of psoriasis investigated according to method of Lindenberg, 148
Viscera, syphilis, rare pathologic observation; macrogummas of heart, 149
Vitamins: See also Nicotinic Acid; Riboflavin
A: See also Cod Liver Oil
A; absorption through human skin, *431
A; association of neuromuscular symptoms and cutaneous lesions in vitamin A deficiency; discussion of etiologic relationship, 561
A deficiency and intestinal permeability to bacteria and toxin, 288
A; properties of human skin revealed by fluorescence microscopy; normal skin; vitamin A content of skin, *59
A; use in keratosis blennorrhagica; successful treatment with massive doses; report of case, *728
avitaminosis, epidermolysis bullosa, keratosis pilaris, moniliasis or moniliid, 912
B: See also Nicotinic Acid; Pellagra; Riboflavin
B; nutritional stomatoglossitis among war refugees in Shanghai, 561
B_2: See Riboflavin
E; psoriasis treated with defatted wheat germ; repigmentation of gray hair, 899
hypovitaminosis resembling pityriasis rubra pilaris, 751
K; dermatitis from topical application of 2-methyl-1:4-naphthoquinone (synthetic vitamin K analogue), 741
seborrheic dermatitis or avitaminosis, 931
vitamin therapy in dermatology and syphilology, *628
Vitiligo, treatment with intradermal administration of gold (lopion), 562
Vulva, cancer; malignancy and lymphogranuloma venereum, 742
Esthiomene: See Lymphogranuloma Venereum
tuberculosis of vulva and vagina; case for diagnosis, 894
ulcers; lymphogranuloma venereum with rectal syndrome and esthiomene, 574
vulvovaginocervical eruption due to therapy with gold sodium thiosulfate, *250

Walter, E. M.: Respiration of human keratoses and epitheliomas, *269
Walzer, A.: Circumscribed scleroderma, 616
Elephantiasis, 915
Granuloma annulare (disseminated), 920
Sarcoidosis with total blindness, 914
Walzer, E. A.: Tinea capitis with infection of eyelashes; report of case, *40
War: See also Medicine, military; Medicine, naval; Wounds; etc.
conference on venereal disease control needs in wartime, 556
handbook for physicians on industrial health and medicine in war industries, 556
industrial dermatitis, 744
nutritional stomatoglossitis among war refugees in Shanghai, 561
Warts: See Verruca
Wassermann Reaction: See Syphilis
Weber-Rendu-Osler's Disease: See Telangiectasis
Weed: See Plants
Weifeld, J.: Microsporon type of tinea capitis with grouped papular microsporid, 609
Weltmann's Reaction: See Blood, coagulation
Wende, R. C.: Cutaneous fistulas of dental origin, *665
Werner Syndrome: See Scleroderma

Wheal: See Urticaria
White, C. J.: Microsporon type of tinea capitis with grouped papular microsporid, 609
White Spot Disease: See Scleroderma
Winer, L. H.: Cysts of glands of Moll, 182
Wise, F.: Capillaritis; case for diagnosis, 932
Erysipelatous ringworm infection; case for diagnosis, 933
Erythema annulare centrifugum of Darier; case for diagnosis, 166
Localized lymphocytoma, 170
Mycosis fungoides with bullous lesions, 773
Rosacea-like tuberculid of Lewandowsky, 328
Scleroderma (generalized, progressive type), 763
Xanthoma tuberosum and tendon xanthoma, 929
Wolf, C.: Linear neurodermatitis, 943
Wolf, J.: Hidradenitis and folliculitis, 759
Lichen planus with pigmentation, erythema multiforme bullosum or dermatitis herpetiformis, 590
Scabies, 756
Wood's Light: See Fluorescence
Workmen's Compensation and Insurance: See Industrial Diseases
Wounds, growth of epithelium in tegumentary tissues; healing of cutaneous wounds; regeneration, 289
Wright, C. S.: Xanthoma tuberosum (results of low fat diet), 571

Xanthoma juvenile (nevoxanthoendothelioma McDonagh), 911
tuberosum and tendon xanthoma, 929
tuberosum, familial, 456
tuberosum multiplex, 159
tuberosum multiplex with myxedema, 610
tuberosum (results of low fat diet), 571
Xeroderma pigmentosum with hydroa-vacciniforme-like lesions, 613

Yaws: See Frambesia

Zakon, S. J.: Pigmented hairy nevus, bathing trunk type, with multiple satellites, 604
Zoster: See Herpes zoster

7